FOR THOSE WHO WORK ON THE WATER





OUR GLOBAL PRESENCE

Zodiac Milpro has more than 20, 000 boats in daily use with over 80 military forces and professional users across the globe.

Zodiac Milpro's global network and trained specialists are present in most parts of the world where they are ready to give assistance and support to our products and customers on demand. Zodiac Milpro has subsidiaries with offices in Canada, USA, Australia, Spain, United Kingdom, Italy, France and Singapore (RO) as well as distributors worldwide who are all available to discuss your most specific requirements.

••••••••• •••••• ••••• ••••• ••••••• •••••• •••••• ••••••••••• ••••• •••• • • •••••• •••••• 0.0

•••••• •••••• •••••• •••••• ••••••••



••••

••••

••••

••••

•••

 $\bullet \bullet \bullet$

••••

• •••••••••

••••• ••••

••••••

••••••

•••••



••••

•• •••••••••

••••

••

Zodiac Milpro Academy™:

A global organization to support maintenance and training worldwide

Zodiac Milpro has developed a network of authorized Maintenance Service Centers (MSC) for military and professional customers. MSC personnel are regularly trained and certified by our technical specialists. MSC provide proprietary repair techniques to ensure a boat's operational readiness throughout its working life anywhere in the world.



FOR THOSE WHO WORK ON THE WATER

1896: Creation of Zodiac, dirigible manufacturer

1945: First inflatable boat by Zodiac

1971: Presentation of the first RIB (Rigid Inflatable Boat) by AVON at the London boat show

1983: Creation of HURRICANE® technologies in Canada

1990: Zodiac Milpro becomes a business unit within the Zodiac Group dedicated to serving the most demanding military and professional customers.

As a stand-alone group headquartered in Paris, Zodiac Milpro has more than 100 years of technical heritage and sets the standards for military and professional inflatable and semi-rigid craft. Always at the cutting edge, Zodiac Milpro uses the DURATANE® exclusive fabric (aliance of CSM and Neoprene) and continues to meet our customer's requirements.




FROM SHORE-BASED TO SHIP-BASED SOLUTIONS

Zodiac Milpro has dedicated a specialized team to address the needs of professional users. Our team offers complete solutions for professionals that include training, rigging, trials and specific developments adapted to meet customers' specific requirements.

We offer boats ranging from 3 to over 11 meters with accessories and solutions that bring cost-efficiency, reliability, increased work safety, comfort and easy maintenance.

Zodiac Milpro offers immediate availability of a wide range of off-the-shelf products when needed or customized products on the request of demanding customers.





ANY TIME, ANY WEATHER®,

The excellence in inflatable boats

The **Grand Raid® boats** established the Zodiac Milpro reputation. This product range constitutes the backbone of many fleets and has been recognized for decades as being simple, strong and reliable.

From 3.80 to 4.70 meters long.

The **Work Boats** are especially made to carry heavy loads safely with the best maneuverability, speed and capacities.


From 4.00 m to 7.00 m, they are able to carry payloads up to 4 000 kg and yet remain foldable.

The Emergency Response Boats range has been designed to meet the specific requirements of search and rescue organizations. These boats are fitted with scuba inflation attachment points as standard equipment. Offering a very light weight and compact boat, while providing rescue teams with a rapid deployment system that takes just a few minutes.

From 3.10 to 4.00 meters long.

Used daily by elite soldiers, such as the iconic F 470° and CRRC° are well known on the scene of operation throughout the world. Their unique patented hull shape provides easy planing and maneuverability even when loaded. Various floor systems allow the boats to carry combatants on a variety of missions in a large range of special applications such as AirDrop / HeliDrop and Underwater Caché.


From 4.2 to 5.3 meters long.





Futura Hull with speed tubes





SEA RIB®	LENGHT - WIDTH - WEIGHT			MAX PER	S.	MAX PA	/LOAD		1	ENGINE	<u> </u>	
	overall lenght	overall width	weight empty	cat. C (iso 6185)	cat. B (iso 6185)	Cat. C	Cat. B	Туре	recommended power	maximum power	maximum engine weight	shaft length
SR-4.0	4,15 m / 13' 06"	1,82 m / 6' 00"	160 kg / 353 lb	6		580 kg / 1280 lb		OB	25-40 hp / 19-30 kW	50 hp / 38 kW	90 kg / 198 lb	long - 20"
SR-4.7	4,74 m / 15' 06"	2,03 m /6' 07"	250 kg / 551 lb	8		815 kg / 1797 lb		ОВ	25-60 hp / 19-45 kW	70 hp / 53 kW 2x30 hp / 2x23 kW	130 kg / 287 lb 2x65 kg / 2x144 lb	long - 20"
SR-5.4	5,51 m / 18' 01"	2,03 m /6' 07"	320 kg / 705 lb	10		920 kg / 2028 lb		OB	40-85 hp / 30-61 kW	90 hp / 67 kW 2x40 hp / 2x30 kW	155 kg / 342 lb 2x77 kg / 2x170 lb	long - 20"
SR-5.4 IO	5,51 m / 18' 01"	2,03 m /6' 07"	680 kg / 1500 lb	6		450 kg / 992 lb		Ю		INCLUDED : Yanmar Alpha 1	Leg - 110 hp / 83 kW	
SR-6.3	6,42 m / 21' 01"	2,34 m /7' 07"	800 kg / 1764 lb	15		1450 kg / 3196 lb		OB	2x60-75 hp / 2x45-47 kW	2x90 hp / 2x67 kW	2x175 kg / 770 lb	twin long - 20"
SR-6.3 DJ	6,42 m / 21' 01"	2,34 m /7' 07"	1390 kg / 3064 lb	10		845 kg / 1862 lb		Ю	INCLUE	INCLUDED: Yanmar 4LHA STD - 240 hp / 100 kw - Hamilton 213 Jet		
SRMN-500	5,00 m / 16' 10"	2,08 m / 6' 10"	240 kg / 529 lb	10		1150 kg / 2535 lb		OB	70 hp / 53 kW	90 hp / 67 kW	158 kg / 348 lb	long - 20"
SRMN-550	5,50 m / 18' 01"	2,18 m /7' 02"	300 kg / 661 lb	14		1270 kg / 2800 lb		ОВ	90 hp / 67 kW	120 hp / 87 kW 2x50 hp / 2x38 kW	181 kg / 399 lb 2x98 kg / 2x216 lb	long - 20"
SRMN-600	6,00 m / 19' 17"	2,45 m / 8' 00"	370 kg / 816 lb	16		1660 kg / 3660 lb		ОВ	120 hp / 90 kW	150 hp / 112 kW 2x70 hp / 2x53 kW	198 kg / 436 lb 2x125 kg / 2x275 kg	long - 20"
SRR-420	4,20 m / 13' 09"	1,85 m / 6' 00"	220 kg / 485 lb	6		750 kg / 1653 lb		ОВ	25 hp / 19 kW	40 hp / 30 kW	98 kg / 215 lb	long - 20"
SRR-530	5,30 m / 17' 05"	2,20 m / 7' 03"	340 kg / 750 lb	12		1150 kg / 4409 lb		ОВ	70 hp / 53 kW	90 hp / 68 kW	189 kg / 417 lb	long - 20"
SRR-650	6,48 m / 21' 03"	2,55 m / 8' 04"	712 kg / 1570 lb	15	5	1850 kg / 4078 lb	1100 kg / 2425 lb	ОВ	120 hp / 90 kW 2x60 hp / 2x45 kW	150 hp / 110 kW 2x80 hp / 2x59 kW	234 kg / 516 lb 2x181 kg / 2x399 lb	XL - 25" twin long - 20"
SRR-750	7,40 m / 24' 02"	2,90 m / 9' 05"	959 kg / 2114 lb	16	7	4100 kg / 9040 lb	1279 kg / 2820 lb	OB	225 hp / 168 kW 2x115 hp / 2x86 kW	250 hp / 186 kW 2x150 hp / 2x112 kW	294 kg / 648 lb 2x231 kg / 2x509 lb	XL - 25" twin long - 20"
SRR-870	8,79 m / 28' 10"	3,05 m / 10' 01"	1578 kg / 3479 lb	18	9	2076 kg / 4577 lb	1401 kg / 3089 lb	ОВ	250 hp / 186 kW 2x175 hp / 2x131 kW	350 hp / 261 kW 2x250 hp / 2x186 kW	390 kg / 860 lb 2x280 kg / 2x617 lb	XXL - 25" twin XL - 20"
SRA-750 OB	7,36 m / 24' 02"	2,76 m / 9' 01"	978 kg / 2156 lb	16	8	2670 kg / 5886 lb	2070 kg / 4564 lb	ОВ	225 hp / 168 kW 2x115 hp / 2x86 kW	250 hp / 186 kW 2x150 hp / 2x112 kW	294 kg / 648 lb 2x222 kg / 2x489 lb	XL - 25" twin long - 20"
SRA-750 OB D-Shape	6,77 m / 22' 03"	2,76 m / 9' 01"	1060 kg / 2337 lb	16	8	2670 kg / 5886 lb	2070 kg / 4564 lb	ОВ	225 hp / 168 kW 2x115 hp / 2x86 kW	250 hp / 186 kW 2x150 hp / 2x112 kW	294 kg / 648 lb 2x222 kg / 2x489 lb	XL - 25" twin long - 20"
SRA-750 IO	7,36 m / 24' 02"	2,76 m / 9' 01"	943 kg / 2079 lb	16	8	2028 kg / 4471 lb	1428 kg / 3148 lb	Ю	250 hp / 186 kW	300 hp / 224 kW	541 kg / 1193 lb	Ю
SRA-750 IO D-Shape	6,77 m / 22' 03"	2,76 m / 9' 01"	1040 kg / 2293 lb	16	8	2028 kg / 4471 lb	1428 kg / 3148 lb	Ю	250 hp / 186 kW	300 hp / 224 kW	541 kg / 1193 lb	Ю



CUSTOM HURRICANE® FOR THE MOST DEMANDING USERS

We routinely develop custom solutions to meet a specific need. With sizes ranging from 20 to 45 feet (6 to 14 meters) in length and dozens of unique HURRICANE® components, we can customize boats to perfectly fit a mission profile.

EXAMPLES OF CONFIGURATION

ZH-935 MACH II IO

Hull: 9 meters / Mach II air channeled / Alu

Collar: Hybrid / Inflatable
Engine: Twin IO / Z drive

Integration: Simple console GRP / 5 Mitigated Jockey and Jump

Seats: 10 Pax

Equipment electrical:

Batteries

Lights: Strobe light, Deck Lights / Standard safety equipment Custom fuel tank / Military equipments integration

Custom fuel tank / Military equipments integrati Nav Com: GPS, Sounder, Radar & Radar mast Other equipments: FC 470® boat support ...

ZH-1110 MACH II OB CABIN

Hull: 11 meters / Mach II air channeled / Alu

Collar: Classical / Inflatable

Engine: Triple OB

Integration: Cabin / 4 mitigated seats

Equipment electrical:

4 Batteries

Lights: Strobe light, Deck Lights, Projectors

/ Standard safety equipment Custom fuel tank 1600L

Nav Com: GPS, Sounder, Radar, AIS,

Thermo IR Camera / ...



HULL

	Length (m)	Shape	Material
- Co - 7 - 9 - 10 - 11 - Custom	ustom < 7 >11	- Deep V - MACH II (Air channelled hull)	- GRP - Aluminum - Custom
Shape	,	Material	Equipment

	Shape	Material	Equipment
COLLAR	- Classical - Wrap Around - D-Shape - Hybrid	- Inflatable - DURARIB®	- Autoflate - RAD (Rapid Access Door) - Dive Door - Rubbing Strakes - Bow Skirt - Antiskid pads - Black Out package

- OB - Single OB - DIESEI	Fuel
- IO - Twin OB - GASOL	
- Triple OB - JP-5	INL
- Jet Drive - JP-8 - Z Drive	

	Console	Seats	Equipment	
- (- Delta Jockey Console - Stand Up Console GRP - Stand Up Console Alu - Double stand up Console GRP - Double stand up Console Alu T-Top Console Cabin cock Mitigated Cabin	- Jockey - Bolster - Shock Mitigated Seats - Bench - Custom	- Electrical: Battery - Single / Twin / Triple / Lights: Strobe / Deck / Projector / Safety: Extinguisher / Life Jacket / Self Righting / Fuel Tank: Single / Twin / Custom - Storage box: Military / Rescue / Nav-Com: GPS / Radar / Sounder / Military: Weapon mount / Radios / Thermo cover / Rescue: Sretcher / Radio / Diving /	
- Cus	stom	-	ARMORFLATE® ballistic protection	

- Custom

INTEGRATION

■ ZODIAC HURRICANE®: PRE ENGINEERED TURNKEY SOLUTIONS

Designated and to mitting seaworth radar signathostile area 630 IO; 733 OB; 933 OB.

Commando Turnkeys

Designed for use by 2-man or larger crews, with hull design and seating arrangements to mitigate shock, maximize seaworthiness, and minimize radar signature for operating in hostile areas.
630 IO; 733 IO; 753 OB; 920

Law Enforcement Turnkeys

Designed for one, two, or small crew with stand-up center consoles and T-tops.
662 OB; 753 OB.

Search and Rescue Turnkeys

Designed to work independently, with jockey seats and self-righting capabilities.
753 OB; 933 aft IO.

Cabin Turnkeys


Designed to carry 2 to 6 crew in comfort, safe in heavy weather, fully-enclosed, heated cabin.
920 OB; 11.10 aft IO.



TURNKEY BOAT*	inboard / outboard	hull type	overall length	overall width	inside length	inside width	buoyancy tube diameter	weight (empty)	capacity criteria	fuel capacity	person capacity	maximum seating capacity
ZH-630 CDO	10	GRP	22' 6.71 m	8'6" 2.59 m	12'11" 4.82 m	4'4" 1.32 m	1'9" 0.53 m	4210 lb 1910 kg	ISO : 6185-3	48 US gal. 181 L	10	8
ZH-662 LE	ОВ	Alu.	22' 6.71 m	8'6" 2.59 m	12'11" 4.82 m	5'1" 1.55 m	1'9" 0.53 m	2400 lb 1090 kg	ISO : 6185-3	96 US gal. 362 L	15	8
ZH-733 CDO	10	GRP	23'8" 7.21 m	9' 2.74 m	17'2" 5.23 m	5'5" 1.66 m	1'10" 0.56 m	4628 lb 2100 kg	ISO : 6185-3	85 US gal. 322 L	15	10
ZH-753 LE	ОВ	GRP	26'4" 8.03 m	9' 2.74 m	17'2" 5.23 m	5'5" 1.66 m	1'10" 0.56 m	2755 lb 1250 kg	ISO : 6185-3	133 US gal. 503 L	17	10
ZH-753 SAR	ОВ	GRP	26'4" 8.03 m	9' 2.74 m	17'2" 5.23 m	5'5" 1.66 m	1'10" 0.56 m	3416 lb 1550 kg	ISO : 6185-3	133 US gal. 503 L	15	7
ZH-753 CDO	ОВ	GRP	26'4" 8.03 m	9' 2.74 m	17'2" 5.23 m	5'5" 1.66 m	1'10" 0.56 m	3416 lb 1550 kg	ISO : 6185-3	133 US gal. 503 L	15	14
ZH-920 CDO	ОВ	Alu.	30' 9.14 m	10'5" 3.18 m	21'6" 6.55 m	6'4" 1.93 m	2' 0.61 m	6000 lb 2727 kg	ISO : 12217 structural	227 US gal. 860 L	22	20
ZH-920 CABIN	ОВ	Alu.	30' 9.14 m	10'5" 3.18 m	21'6" 6.55 m	6'4" 1.93 m	2' 0.61 m	5840 lb 2650 kg	ISO : 12217 structural	227 US gal. 860 L	20	6
ZH-930 MULTI- MISSION MACH II	Ю	GRP	30'7" 9.32 m	9'10" 3.00 m	28'9" 8.76 m	7'5" 2.25 m	2' 0.60 m	9900 lb 4500 kg	ISO : 12217	141 US gal. 550 L	16	16
ZH-933 SAR	Ю	GRP	30'9" 9.37 m	9'10" 3.00 m	21'6" 6.55 m	5'4" 1.63 m	2' 0.61 m	7840 lb 3560 kg	ISO : 12217 structural	180 US gal. 682 L	20	11
ZH-933 CDO	ОВ	GRP	30'9" 9.37 m	9'6" 2.90 m	21'6" 6.55 m	5'4" 1.63 m	2' 0.61 m	4860 lb 2205 kg	ISO : 12217 structural	180 US gal. 682 L	22	20
ZH-935 MULTI- MISSION MACH II	Ю	Alu.	30'10" 9.39 m	10'2" 3.10 m	28'9" 8.76 m	7'5" 2.25 m	2' 0.60 m	9461 lb 4300 kg	ISO : 12217	141 US gal. 550 L	16	16
ZH-940 STATIC I.C.E. MACH II	ОВ	Alu.	31'6" 9.60 m	10'8" 3.25 m	30'0" 9.15 m	7'5" 2.26 m	2' 0.60 m	5970 lb 2714 kg	ISO : 12217	218 US gal. 850 L	22	20
ZH-1010 CDO	Ю	GRP	33' 10.08 m	11'7" 3.53 m	24'6" 7.47 m	7'1" 2.16 m	2' 0.61 m	11240 lb 5100 kg	ISO : 12217 structural	150 US gal. 567 L	22	11
ZH-1100 CDO MACH II	ОВ	GRP/Alu	37'9" 11.52 m	10'6" 3.23 m	27'11" 8.51 m	6'5" 1.96 m	2' 0.61 m	8400 lb 3810 kg	ISO : 12217 structural	264 US gal. 1000 L	30	21
ZH-1100 CDO MACH II	SD	GRP/Alu	37'9" 11.52 m	10'6" 3.23 m	27'11" 8.51 m	6'5" 1.96 m	2' 0.61 m	12200 lb 5535 kg	ISO : 12217 structural	185 US gal. 700 L	26	15
ZH-1110 CDO	10	GRP	36'1 " 11 m	11'7" 3.53 m	25'6" 7.77 m	7'0" 2.13 m	2' 0.61 m	11460 lb 5200 kg	ISO : 12217 structural	264 US gal. 1000 L	29	15
ZH-1110 CABIN	IO	GRP	36'1" 11 m	11'7" 3.53 m	25'6" 7.77 m	7'0" 2.13 m	2' 0.61 m	12695 lb 5760 kgd	ISO : 12217 structural	264 US gal. 1000 L	21	6

^{*}Ask for referenced NATO Stock Number





CONSULTING

Your efficiency is our guideline. We provide consultation services to professional and military customers who want to create, or expand their activities in the professional or military maritime related sectors. Our experts will help you build your teams, choose your material, determine procedures and manage your new activity and techniques.

- Creation and optimization of operational units
- Assessment of mission, organization and technical requirement
- Diversification in the maritime sector

TRAINING

Our training is provided via standard programs or is adapted to users' needs. Programs are managed by an expert training team whose members gained their experience through years spent with the maritime and offshore industry, military and special forces, coast guards and law enforcement organizations.

- Learning basic techniques
- Refinement of advanced techniques
- Training in special techniques

INTEGRATED LOGISTIC SUPPORT: ILS

Designed to maximize the customer's fleet readiness, our Integrated Logistic Support solutions increase organization and team efficiency while reducing maintenance and operating costs.

- Maintenance cost optimization
- Lifespan maximization
- Increased operational readiness



WWW.ZODIACMILPRO.COM INFO.MILPRO@ZODIACMILPRO.COM

Discover our offer of tailor made Mega Yacht tenders and our Ultimate Adventure Boat® range of boats, such as the CZ7® on:

WWW.ZODIACMILPROTENDERS.COM

FRANCE / HEADQUARTERS

ZODIAC MII PRO INTERNATIONAL

32 Bis Boulevard Haussmann 75009 Paris - FRANCE

AUSTRALIA

ZODIAC MILPRO AUSTRALIA PTY LTD

25 CAWARRA Rd Caringbah NSW 2229 - AUSTRALIA

CANADA

ZODIAC HURRICANE TECHNOLOGIES INC

7830 Vantage Way
Delta, B.C. V4G1A7 - CANADA

ITALIA

ZODIAC ITALIA S.R.L

Catala porto turistico di Lavagna n°63 Genova - ITALIA

SPAIN

ZODIAC ESPAÑOLA

S.A.U. Carretera Gi-610, Km. 2 Apartado de Correos, 546 17480 Roses – SPAIN

UK

PODIAC MILPRO LIK LTD

Dafen Llanelli, SA14 8NA Carmarthenshire United Kingdom - UNITED KINGDOM

USA

ZODIAC OF NORTH AMERICA, INC.

540 Thompson Creek Road Stevensville, Maryland 21666 - USA

ZODIAC MILPRO®, ZODIAC HURRICANE®, MILPRO®, SEA RIB®, RESPONDERS®, GRAND RAID®, F 470®, FC 470®, Any Time Any Weather®, CRRC®, Armorflate®, HURRICANE®, DURATANE® are registered trademarks of Zodiac Milpro International and their products, equipment, logos and ranges are protected by patents and copyrights. All characteristics meet ISO 6185 standards; In some countries, these norms can be more restrictive. All dimensions and weight measurements indicated have a tolerance of +/-3% and +/-5% respectively. Boats shown in this catalogue may be fitted with optional accessories. Please verify the exact equipment level fitted as standard to each model. The availability of certain madels, their specifications and accessories may vary in some countries. For full details see your local distributor. As leading manufacturer, Zodiac Milpro International carries out a continuous program of product improvement and safety awareness. Specifications are subject to change without notice, although all details shown are accurate at the time of going to print. This document may refer to trademarks belonging to other companies. Such references are for identification only and are not intended to be an endorsement. This document cannot be considered as a contractual document. Noncontractual pictures. Products may vary from images shown.