




SPORT CATALOG 2022

rockempire.com





# X rock empire®

## Ready to climb

ROCK EMPIRE is close to the Elbe River Valley – 80 m sandstone rocks which are the inspiration and testing area for our products.



rockempire.com



In 2021, Rock Empire guarantees to all customers: high quality production, extra-ordinary customer service and continual innovation of all Rock Empire products, which are designed and produced, first and foremost, to protect all users during their climbing experiences. While safety is always our number one priority, we never forget the importance of comfort, durability, and low-weight.

We, as a firm, are proud that our harnesses, slings, other textile accessories, cams and stoppers are still made with care here in the Czech Republic and our full range of outdoor and climbing equipment is sold in over 50 countries worldwide. We have grown from 3 employees to over 50, and we are now based in Děčín – close to the Elbe River Valley's sandstone rocks where our products were first used and tested. Today, our goals remain the same: innovation, quality and maximum customer satisfaction.

For sport users of all abilities, we offer well-made climbing and outdoor equipment. We have a great collection of Slight harnesses for both sport and recreational climbing. Slight harnesses are designed to spread the load uniformly around the entire harness. Add in the fantastic weight of less than 310 grams, and you will not even notice that you are wearing this harness.

For 2021, we are pleased to introduce new products including Speleo Rapide that is non-padded harness for speleological activities, Rugrat, an all-body harness for the youngest users, Canicross Race that is an ultralight, ergonomic harness for canicross and dog trekking.

We started producing Slack Lines again that are designed for both beginner and advanced slack line users.

You will find a novelty among the carabiners. Swift Click is a carabiner for situations where the bolt is just a little bit too high for you to reach, but you desperately need to clip on. New Set Long Arm Click is equipped with this carabiner.

And the last novelty is PIP - an adjustable positioning rope lanyard for attaching to anchors. It is made of an 8 mm thick dynamic rope designed to absorb the force of a possible fall. Adjustable from 15 to 85 cm.

As we look to the future, creating innovative and safe sport climbing gear remains important to us, but equally valuable has been the range of equipment we have developed for work at heights. This equipment offers a high level of safety and has been well received by the industry.

We continue to produce all harnesses and slings with the greatest of care at our factory and work closely with top quality suppliers for additional products that we offer with pride.

Thank you for making our successes possible and we look forward to the future with you helping us create and innovate.


Jiří Chaloupka , Managing Director

### Content:

|                       |    |
|-----------------------|----|
| About Rock Empire     | 4  |
| Harnesses             | 6  |
| Carabiners & Belays   | 20 |
| Express & Open Slings | 36 |
| Cams & Stoppers       | 40 |
| Helmets & Via Ferrata | 44 |
| Ropes                 | 48 |
| Climbing Shoes        | 49 |
| Crampons & Ice Axes   | 50 |
| Sleeping bags         | 52 |
| Special offers & sets | 54 |
| Accessories           | 56 |
| Promo Material        | 64 |



## About Rock Empire



A year after the Czechoslovakian Velvet Revolution, it was a time for Czech climbers to come into their own.

In 1994, a group of enthusiastic Czech climbers decided that they wanted to bring perfect climbing equipment to the Czech Republic. The beginning of ROCK EMPIRE begins in close cooperation with Hudy Sport, which led to the establishment of the sister company Hudy Production. The ROCK EMPIRE brand became synonymous with climbing equipment within the Hudy group.

ROCK EMPIRE was affiliated with Hudy Sport a.s.

who arranged sales for Rock Empire in the Czech Republic and abroad. During that time, we helped many climbing talents and supported many expeditions. Experts, enthusiasts and the general climbing public became more aware of the name Rock Empire.



### Creation of ROCK EMPIRE

In 2007, Rock Empire separated our activities with HUDY Sport a.s. In 2008, ROCK EMPIRE s.r.o. was created, and, in 2009, we took over the export rights and independently registered the ROCK EMPIRE brand.



Today, you will find our products in more than 50 countries, and we continue to offer high quality equipment.

That is why we involve our existing customers in the design process and offer several promises to our customers:

Safety First and Foremost  
Maximum Functionality  
High Level of Comfort

And, of course, we adhere to the strictest standards and EU certifications.

Over time, our product range has changed and expanded, so you can get complete equipment for sports and professional needs for a range of activities at heights.

**TOGETHER, WE WILL REACH THE PEAK!**

**rock  
empire®**  
**Ready to climb**







1B SLIGHT

VUS012

1B SLIGHT is designed for pure sport climbing. Thanks to its low weight and fixed leg loops, it offers maximum comfort and incomparable freedom of movement. You will not even notice that you are wearing this harness. One quick AL buckle on the waist helps quickly and safely adjust it to your size. It has four gear loops and removable back elastic straps. Maximum distribution of fall load throughout the harness.

- 1 Quick aluminium (AL 7075) buckle – 16 mm.
- Innovative ergonomic waist and legs straps.
- 4 Asymmetric gear loops (5 kg).
- Light weight belay loop in a contrasting colour (width 12 mm, 15 kN).



1B SLIGHT

VUS012

1B SLIGHT is designed for pure sport climbing. Thanks to its low weight and fixed leg loops, it offers maximum comfort and incomparable freedom of movement. You will not even notice that you are wearing this harness. One quick AL buckle on the waist helps quickly and safely adjust it to your size. It has four gear loops and removable back elastic straps. Maximum distribution of fall load throughout the harness.

- 1 Quick aluminium (AL 7075) buckle – 16 mm.
- Innovative ergonomic waist and legs straps.
- 4 Asymmetric gear loops (5 kg).
- Light weight belay loop in a contrasting colour (width 12 mm, 15 kN).



3B SLIGHT MAN

VUS013

3B SLIGHT MAN is a premium, super comfortable 3-buckle harness. Quick buckles on the legs and waist belt help quickly and accurately adjust the size. This harness will definitely exceed your demanding requirements on the rocks as well as in the mountains. And it is so light that you won't even notice that you are wearing it. Maximum distribution of fall load throughout the harness.

- 3 Quick aluminium (AL 7075) buckles – 12 mm legs, 16 mm waist.
- Innovative ergonomic waist and legs.
- 4 Asymmetric gear loops (5 kg).
- Light weight belay loop in a contrasting colour (width 12 mm, 15 kN).



3B SLIGHT WOMEN

VUS014

3B SLIGHT WOMAN is an extremely comfortable 3-buckle harness designed specifically for women. The ratio between the waist and legs is adjusted to fit measurements of women. Maximum distribution of fall load throughout the harness. Now in a new and more distinctive color with a more durable upper material.

- 3 Quick aluminium (AL 7075) buckles – 12 mm legs, 16 mm waist.
- Innovative ergonomic waist and legs.
- 4 Asymmetric gear loops (5 kg).
- Light weight belay loop in a contrasting colour (width 12 mm, 15 kN).



4B SLIGHT

VUS015

4B SLIGHT is a 4-buckle harness designed especially for mountains and big walls. Light-weight quick AL buckles on the legs and 2 on the waist make the harness fully adjustable and easy to manipulate. Slot for Helper (ZSD001) on waist belt. Maximum distribution of fall load throughout the harness.

- 4 Aluminium (AL 7075) quick buckles – 12 mm legs, 16 mm waist.
- Innovative ergonomic waist and legs.
- 4 Asymmetric gear loops (5 kg).
- Light weight belay loop in a contrasting colour (width 12 mm, 15 kN).



3B AKATTA

CUA004

3B Akatta is a fully-adjustable and comfortable sport climbing harness and will definitely exceed your demanding requirements on the rocks as well as in the mountains. 3B Akatta has lightweight padded construction. Breathable padding includes small holes in the foam padding on the waist and legs. Distribution of the force is transmitted around the waist with 4 straps, around the legs with 3 straps. This harness offers maximum comfort and freedom of movement. Optimal distribution of fall load throughout the harness.

- 3 aluminum QB buckles.
- 4 gear loops (max. 5 kg).
- Haul loop (max. 50 kg).
- Breathable padding.



4B AKATTA

CUA005

4B Akatta is a 4-buckle harness designed especially for sport climbing, multi-pitch and mountaineering. 4B Akatta is a fully-adjustable and comfortable sport climbing harness. 4B Akatta has lightweight padded construction. Breathable padding includes small holes in the foam padding on the waist and legs. Distribution of the force is transmitted around the waist with 4 straps, around the legs with 3 straps. This harness offers maximum comfort and freedom of movement. Optimal distribution of fall load throughout the harness.

- 4 aluminum QB buckles.
- 4 gear loops (max. 5 kg).
- Haul loop (50 kg).
- Breathable padding.



EQUIP BELT

CUE001

A universal and light harness used for work, rescue and it is ideal for big wall climbing also. In fact, it is a synthesis of a sport and work harness. It may be used by itself or in combination with the chest harness, CHEST EQUIP (CUE003), as a full-body fall arrest harness. All attachment points are textile.

- Adjustable leg loops.
- 6 Gear loops (5 kg).
- 2 Positioning loop (15 kN).
- Contains reflective material for better visibility under difficult conditions.
- Strong elastic (accordion-style) strap connecting the legs to the waist belt on the back of the harness.



STREAK

CUS011

Streak is a fully-adjustable and comfortable sport climbing harness. Conically-shaped legs fit every leg type and offer a high level of comfort. One quick buckle on the waist belt helps to quickly and safely adjust the harness. Brighter colours and new materials give this popular harness a facelift. The sliding strap on the waist allows ideal placement of the gear loops according to the user's requirements.

- 3 Quick buckles.
- Ergonomic waist and legs.
- Adjustable leg loops.
- 4 Gear loops.



STREAK LADY RED

CUS017

Streak Lady Red and Purple are women's sport climbing harnesses. The ratio between the waist and legs is adjusted to fit measurements of women on this fully adjustable and comfortable harness. The sliding strap on the waist allows ideal placement of the gear loops according to the user's requirements.

- 3 Quick buckles.
- Ergonomic waist and legs.
- Adjustable leg loops.
- 4 Gear loops for the material (5 kg).
- Light weight belay loop in a contrasting colour (width 12 mm, 15 kN).





STREAK RENTAL

CUS019

Streak Rental is a robust and durable harness for use on indoor climbing walls and as a rental. Design is based on popular Streak harness including the fully adjustable and moveable strap on the waist. Compared to the Streak, it has a better, stronger solution for the belay loop and lower tie in loop, which greatly reduces the risk of tying in improperly. If the gear loop is accidentally used as the belay loop and a fall occurs, it will not rip – keeping the climber from falling to the ground. Streak Rental comes in two sizes.

Reinforced gear loop.  
Clear durable pictograms on the outside of the waist belt – illustrated methodical pictures how to attach and secure.  
Waist belt includes a small window where bar and QR codes are visible and scanable to speed up tracking and inspections during rental use.  
Durable belay loop.

XS-M with Red belay loop and S-XL with Blue belay loop.



STREAK SMU

CUS902

Streak SMU is a fully-adjustable and comfortable sport climbing harness.  
One quick buckle on the waist belt helps to quickly and safely adjust the harness.  
The sliding strap on the waist allows ideal placement of the gear loops according to the user's requirements.

3 Quick buckles.  
Ergonomic waist and legs.  
Adjustable leg loops.  
4 Gear loops.  
Light weight belay loop in a contrastin colour (width 12 mm, 15 kN).



EQUIP

SVE001

A fully-outfitted, comfortable work harness designed to be versatile and yet offer a low weight. This harness is also suitable for rescuers and rope parks. In fact, it is a synthesis of a sport and work harness. The sit harness can be bought and used separately. It is ideal for big wall climbing.



RONDA AL LOCK

CUR002

Ronda, our good old all-body harness, newly tuned. Ronda is a light, all-body sport harness recommended for via ferrata, rope parks, beginners and advanced mountaineers. This innovative harness can also be used for working at heights, for it complies with EN 361 standard, classifying Ronda as a PPE harness. The new Ronda is improved with metal tying points (front, rear) and a new special fast release AL buckle.

The front tying point consists of a single loop, which is safer than the usual two-loop structure  
4 buckles for the harness setting  
1 automatic fast release AL buckles for the harness clamping  
2 material loops



SKILL LITE ADVENTURE

VUL002

The full body harness, Skill Lite Adventure is suitable for adventure parks, rope courses and working at heights. Fully adjustable webbing harness to arrest falls. Lightweight buckles allow easy size adjustment. Equipped with two attachment points that meet EU standards (EN 361). Two gear loops. Comes in two sizes.

Two attachment points for fall arrest, in front and back of the harness ring is made of alloy and tested at 15 kN (EN 361).  
Lightweight buckles allow for quick and easy setup.  
Two gear loops.



ZUNI

CUZ001

A full body harness for children with hight up to 130 cm and max. weight 40 kg.

Wide straps and extra leg padding offering increased comfort and easy positioning.  
Easy and safety locking of the harness.



RUGRAT

COMING SOON

An all-body harness for the youngest users with body height up to 130 cm and maximum body weight 40 kg. Wide straps, padded trousers and back straps will provide your child with the maximum climbing comfort. Unlike the standard concept of two front attachment points, this harness is only provided with a single front loop. You will mainly appreciate this safer solution when using a back attachment point. Thanks to the back attachment point, the harness can be used for other activities, such as in rope parks. The harness can be set with 4 buckles. For easier wearing, there is one more (non-dismountable) buckle. The harness is comfortable when moving along the ground, as well as when climbing or hanging. Its application range is quite universal, including climbing, outdoor activities, as well as rope parks.

Easy and safe climbing.Fully adjustable.The harness is also comfortable for ground movement – without the necessity of carabiner connection.



HOPi

CUH002

HOPi is a fully adjustable sport climbing harness for our smallest climbers. Conically shaped leg belts fit smaller legs and offer high levels of comfort. One quick buckle on the waist belt helps for quick and safe size adjustments. Sliding strap on the waist.

3 Quick buckles.  
Light weight belay loop in a contrasting colour.  
Quality foam with high dimensional stability.  
Innovative ergonomic waist and legs.



HOPi

CUH002

HOPi is a fully adjustable sport climbing harness for our smallest climbers. Conically shaped leg belts fit smaller legs and offer high levels of comfort. One quick buckle on the waist belt helps for quick and safe size adjustments. Sliding strap on the waist.

3 Quick buckles.  
Light weight belay loop in a contrasting colour.  
Quality foam with high dimensional stability.  
Innovative ergonomic waist and legs.





SUPERLIGHT

VUS010

For those who prefer to move on the surface of the glacier, rather than inside it, Rock Empire has designed the ultra-lightweight sit harness, Super Light. A super light-weight, safe and simple harness specially made for ski touring and use on glaciers.

Leg straps have buckles for easy on and off while wearing crampons or skis. One of the lightest

1 Gear loop.  
Fully adjustable.



LIGHTNING

VUL003

Re-designed, lighter-weight, all around harness with a unique quick, positioning system - good for use while wearing skis.

4 Gear loops (5 kg).  
Fully adjustable.



SPEEDY

VUG005

Non padded harness suitable for Via Ferrata and indoor climbing now with new buckles.

The new buckles offer better ease of manipulation, which makes the harness even safer during those fun times at heights.



EIGHT VARIO

VUV003

Chest harness to be used in combination with a sit harness. Coloured tie-in points. Updated with brighter colours.

Colour coordinated with Speedy harness.  
Adjustable shoulders.



SPELEO RAPIDE

SUS013

Non-padded harness for speleological activities. It is equipped with a webbing protection against abrasion.

Fully adjustable waist and legs.  
The carabiner is part of the product.3 Gear loop (5 kg).



SPELEO

VUS009

Non-padded harness for speleological activities. It is equipped with a webbing protection against abrasion.

3 Gear loop (5 kg).  
4 QB buckles 20 mm.



CANYON

SVG001

Canyon is a non-padded harness suitable for canyoning. It is a combination of ROCK EMPIRE's Gym harness and Sit Protection. The Sit Protection can be removed, and the harness can be used for climbing by itself. The Sit Protection (ZSC003) can be ordered separately if desired.

1 Gear loop (5 kg).  
Adjustable leg loops.  
AL buckles.



CANYON PLUS

CUC001

Canyon+ is an extra comfortable harness for more demanding cartoonists. On the waist belt, it has a breathable, non-absorbent padding. The plastic sit protection part is made from a durable material with the possibility of replacing it in the case of damage (ZSC005 Sit protection+).

Metal ring serves as tie-in point, which is more resistant to intensive use.  
Webbing under the metal ring and tie-in point is covered by durable plastic.  
2 gear loops (5 kg).  
4 aluminium quick buckles.



CANICROSS

CUC006

If you like sports and spend time with your four-legged pet, so do not hesitate to try a sport called "canicross" - running with the dog. Just use your determination to run out and enjoy the moments together with your dog.

An ultra-light, ergonomic harness for canicross, dog trekking and leisurely runs with a dog.  
Optimally arranged move which respects nature of human movement.

One size.  
Reflective strip on waist belt to keep running safe.  
Extending tie-in point.







CANICROSS RACE

CUC007

Canicross Race by Rock Empire is an ultralight, ergonomic harness for canicross and dog trekking

The harness is easily adjustable around the hips and legs, allowing it to be customised to a particular physique and to reliably grasp the body.  
The back section has a reflective strip for safe exercise even in the dark.

How is Canicross Race different from other harnesses? The front, smoothly adjustable section allows you to harness your dog with free traction in all directions, or the simple clip system can be used to fix the attachment point of the harness in a single position.

The harness meets IFFS\* requirements: 7 cm

Leg straps allow ideal support and perfect fit during a run.  
Easily adjustable waist and leg area.  
Adjustable length of attachment point.  
Ability to harness the dog, allowing free movement to the sides, or instead to create a fixed attachment point.  
Extremely lightweight and breathable.  
Reflective strip for safe exercise even in the dark.  
Waist fastening – aluminium quick-release.  
Leg fastening – strong plastic buckle.  
Black or blue colour.  
Size: waist: between 63–110 cm, easily adjustable.  
Lightweight and appropriate for pulling by small and large dog breeds.



Lifetime and inspection

To keep your harnesses and other RE products as long as possible, we advise you to take care of them and check them from time to time. Here is some basic information.

Textile products have a service life of 10 + 5 years (5 years of storage according to instructions, 10 years from first use). In addition to checking before and after each use, we recommend a full inspection of the harness every 3 months. It is necessary to check: Textile material: Cuts, abrasions, damage caused by aging, high temperature, chemicals, etc. Seams: Broken, cut or vaporized threads. Staples: Proper staple function.

Cleaning

Dirty harness, washable with clean water or light detergent (max. 30 ° C) and dry well in a dark, well ventilated room.

Safety and control before using the harness

Before use, it is necessary to test the correct size of the harness and tightening the strap in the buckles for maximum comfort and safety.

Rock Empire product identification number from March 2021

Example: 21ZRB001A3261  
Explanation: yyXXXxxM####

yy Year of manufacture  
XXXxx Art number  
M Month of manufacture\*  
#### Running number

| *Month    | referential | alternative |
|-----------|-------------|-------------|
| January   | A           | M           |
| February  | B           | N           |
| March     | C           | O           |
| April     | D           | P           |
| May       | E           | Q           |
| June      | F           | R           |
| July      | G           | S           |
| August    | H           | T           |
| September | I           | U           |
| October   | J           | V           |
| November  | K           | Y           |
| December  | L           | Z           |

Used in Data Matrix standard ECC 200

Overview of harness sizes sport

| HARNESS         |  | CODE   | WEIGHT (g) | SIZE | WAIST (cm) | LEG LOOPS (cm) | COLOURS        | NORMS       | USE            |
|-----------------|--|--------|------------|------|------------|----------------|----------------|-------------|----------------|
| 1B SLIGHT       |  | VUS012 | 248        | XS   | 67-74      | 46-51          | Black-Aqua     | CE EN 12277 | Big Wall ***   |
|                 |  |        | 259        | S    | 70-77      | 50-55          | Lime-Aqua      |             | Indoor ***     |
|                 |  |        | 260        | M    | 76-83      | 53-58          |                |             | Rock ***       |
|                 |  |        | 280        | L    | 80-87      | 55-61          |                |             | Via Ferrata ** |
|                 |  |        | 294        | XL   | 85-92      | 58-63          |                |             |                |
| 3B SLIGHT MAN   |  | VUS013 | 274        | XS   | 67-74      | 46-55          | Black-Lime     | CE EN 12277 | Big Wall ***   |
|                 |  |        | 286        | S    | 70-77      | 50-58          | Navy-Aqua      |             | Indoor ***     |
|                 |  |        | 308        | M    | 76-83      | 54-62          |                |             | Rock ***       |
|                 |  |        | 310        | L    | 80-87      | 56-68          |                |             | Via Ferrata ** |
|                 |  |        | 320        | XL   | 85-92      | 59-69          |                |             |                |
| 3B SLIGHT WOMAN |  | VUS014 | 262        | XS   | 58-65      | 46-55          | Aqua           | CE EN 12277 | Big Wall ***   |
|                 |  |        | 272        | S    | 63-70      | 50-58          | Purple-Red     |             | Indoor ***     |
|                 |  |        | 296        | M    | 70-76      | 54-62          |                |             | Rock ***       |
|                 |  |        | 300        | L    | 75-82      | 56-65          |                |             | Via Ferrata ** |
|                 |  |        |            |      |            |                |                |             |                |
| 4B SLIGHT       |  | VUS015 | 319        | XS-M | 67-85      | 46-60          | Anthracite-Red | CE EN 12277 | Big Wall ***   |
|                 |  |        | 334        | M-XL | 80-100     | 56-69          | Black-Red      |             | Indoor ***     |
|                 |  |        |            |      |            |                |                |             | Rock ***       |
|                 |  |        |            |      |            |                |                |             | Via Ferrata ** |



| HARNESS         |  | CODE   | WEIGHT (g) | SIZE  | WAIST (cm)                   | LEG LOOPS (cm) | COLOURS      | NORMS                               | USE            |     |
|-----------------|--|--------|------------|-------|------------------------------|----------------|--------------|-------------------------------------|----------------|-----|
| 3B AKATTA       |  | CUA004 | 325        | XS    | 67-74                        | 46-55          | Black-Aqua   | CE EN 12277                         | Big Wall       | *** |
|                 |  |        | 333        | S     | 70-77                        | 50-58          |              |                                     | Indoor         | **  |
|                 |  |        | 334        | M     | 76-83                        | 54-62          |              |                                     | Rock           | *** |
|                 |  |        | 350        | L     | 80-87                        | 56-68          |              |                                     | Via Ferrata    | *   |
|                 |  |        | 360        | XL    | 85-92                        | 59-69          |              |                                     |                |     |
| 4B AKATTA       |  | CUA005 | 370        | XS-M  | 67-85                        | 46-60          | Blue-Orange  | CE EN 12277                         | Big Wall       | *** |
|                 |  |        | 390        | M-XL  | 80-100                       | 56-69          |              |                                     | Indoor         | **  |
|                 |  |        |            |       |                              |                |              |                                     | Rock           | *** |
|                 |  |        |            |       |                              |                |              |                                     | Via Ferrata    | *   |
| STREAK RENTAL   |  | CUS019 | 335        | XS-M  | 67-85                        | 46-60          | White-Red    | CE EN 12277                         | Big Wall       | **  |
|                 |  |        | 345        | S-XL  | 75-100                       | 53-69          | White-Blue   |                                     | Indoor         | *** |
|                 |  |        | 352        | XXL   | 80-115                       | 60-72          | White-Blue   |                                     | Rock           | *** |
|                 |  |        |            |       |                              |                |              |                                     | Via Ferrata    | **  |
| STREAK LADY RED |  | CUS017 | 412        | XS-M  | 67-80                        | 45-60          | Red          | CE EN 12277                         | Big Wall       | **  |
|                 |  |        |            |       |                              |                |              |                                     | Indoor         | *** |
|                 |  |        |            |       |                              |                |              |                                     | Rock           | *** |
|                 |  |        |            |       |                              |                |              |                                     | Via Ferrata    | **  |
| STREAK          |  | CUS011 | 456        | S-XL  | 75-100                       | 53-66          | Blue         | CE EN 12277                         | Big Wall       | **  |
|                 |  |        | 486        | XXL   | 75-115                       | 56-69          |              |                                     | Indoor         | *** |
|                 |  |        |            |       |                              |                |              |                                     | Rock           | *** |
|                 |  |        |            |       |                              |                |              |                                     | Via Ferrata    | **  |
| STREAK SMU      |  | CUS90  | 380        | S-XL  | 75-100                       | 53-66          | Grey         | CE EN 12277                         | Big Wall       | **  |
|                 |  |        |            |       |                              |                |              |                                     | Indoor         | *** |
|                 |  |        |            |       |                              |                |              |                                     | Rock           | *** |
|                 |  |        |            |       |                              |                |              |                                     | Via Ferrata    | **  |
| EQUIP BELT      |  | CUE001 | 750        | XS-M  | 70-105                       | 48-68          | Black-Orange | CE EN 358, EN 813, EN 12277         | Big Wall       | **  |
|                 |  |        |            |       |                              |                |              |                                     | Rock           | *** |
|                 |  |        |            |       |                              |                |              |                                     | Via Ferrata    | **  |
|                 |  |        |            |       |                              |                |              |                                     | Work           | *** |
|                 |  |        |            |       |                              |                |              |                                     | Adventure park | *** |
| EQUIP           |  | SVE001 | 1040       | XS-M  | 70-105                       | 48-68          | Black-Orange | CE EN 316, EN 358, EN 813, EN 12277 | Work           | *** |
|                 |  |        | 1152       | M-XXL | 80-125                       | 52-75          |              |                                     | Adventure park | *** |
| RONDA AL LOCK   |  | CUR002 | 738        | S-L   | Body height                  |                | Lemon-Aqua   | CE EN 12277, EN 361                 | Indoor         | *** |
|                 |  |        | 762        | L-XL  | (S-L) 145-175/(L-XL) 160-210 |                |              |                                     | Rock           | *** |
|                 |  |        |            |       |                              |                |              |                                     | Via Ferrata    | **  |
|                 |  |        |            |       |                              |                |              |                                     | Work           | **  |

Harnesses

Carabiners & Belays

Express & Open Slings

Cams & Stoppers

Helmets & Via Ferrata

Ropes

Climbing shoes

Crampons & Ice Axes










Sleeping bags

Special offers & sets

Accessories

Promo Material



| HARNESS              |   | CODE        | WEIGHT (g)   | SIZE     | WAIST (cm)             | LEG LOOPS (cm) | COLOURS           | NORMS               | USE            |     |
|----------------------|---|-------------|--|----------|------------------------|----------------|-------------------|---------------------|----------------|-----|
| SKILL LITE ADVENTURE |    | VUL002      | VUS010   | XS-L     | Body height<br>130-170 |                | Black-Orange      | CE EN 12277, EN 361 | Adventure park | *** |
|                      |   |             | 1015   | L-XL     | 160-210                |                |                   |                     | Indoor         | **  |
| SUPERLIGHT           |    | VUS010      | 146  | XS-M     | 57-85                  | 43-62          | Red               | CE EN 12277         | Ski Tour       | *** |
|                      |   |             | 152  | L-XL     | 85-100                 | 62-71          |                   |                     | Via Ferrata    | *   |
| LIGHTNING            |    | VUL003      | 320  | XS       | 57-70                  | 43-53          | Lemon             | CE EN 12277         | Ski Tour       | *** |
|                      |   |             | 354  | S        | 63-76                  | 47-57          |                   |                     | Via Ferrata    | *** |
|                      |   |             | 374  | M        | 72-85                  | 52-62          |                   |                     | Big Wall       | *** |
|                      |   |             | 396  | L        | 80-93                  | 57-67          |                   |                     |                |     |
|                      |   |             | 420  | XL       | 87-100                 | 61-71          |                   |                     |                |     |
| SPEEDY               |   | VUG005      | 405  | one Size | 57-100                 | 43-71          | Lemon-Aqua        | CE EN 12277         | Via Ferrata    | *** |
|                      |   |             |  |          |                        |                |                   |                     | Ski Tours      | *** |
|                      |   |             |  |          |                        |                |                   |                     | Rock           | *   |
|                      |   |             |  |          |                        |                |                   |                     | Canyon         | **  |
|                      |   |             |  |          |                        |                |                   |                     | Indoor         | **  |
| EIGHT VARIO          |  | VUV003      | 216  | one Size | .                      | -              | Aqua-Grey         | CE EN 12277         | Via Ferrata    | *** |
| HOPI                 |  | CUH002      | 242  | XXS-XS   | 44-66                  | 34-41          | Blue              | CE EN 12277         | Indoor         | *** |
|                      |   |             | 249  | XS-S     | 54-70                  | 38-45          | Lime-Aqua         |                     | Rock           | *** |
| ZUNI                 |  | CUZ001      | 346  | one size | one size               | one size       | Black-Aqua-Lemon  | CE EN 12277         | Ski Tours      | *   |
|                      |   |             |  |          |                        |                |                   |                     | Via Ferrata    | *** |
|                      |   |             |  |          |                        |                |                   |                     | Rock           | *** |
|                      |   |             |  |          |                        |                |                   |                     | Indoor         | **  |
| RUGRET               |  | COMING SOON | for children with hight up to 130 cm and max. weight 40 kg | one size | one size               | one size       | Green-Orange-Grey | CE EN 12277         | Ski Tours      | **  |
|                      |   |             |  |          |                        |                |                   |                     | Via Ferrata    | *** |
|                      |   |             |  |          |                        |                |                   |                     | Rock           | *** |
|                      |   |             |  |          |                        |                |                   |                     | Indoor         | *** |
| SPELEO RAPIDE        |  | SUS013      | 798  | one size | one size               | one size       | Black-Red         | CE EN 12277         | Canyon         | *   |
|                      |   |             |  |          |                        |                |                   |                     | Speleology     | *** |

Harnesses

Carabiners & Belays

Express & Open Slings

Cams & Stoppers

Helmets & Via Ferrata

Ropes

Climbing shoes






Crampons & Ice Axes

Sleeping bags

Special offers & sets

Accessories

Promo Material

| HARNESS   | CODE   | WEIGHT (g) | SIZE     | WAIST (cm) | LEG LOOPS (cm) | COLOURS              | NORMS       | USE                                     |
|---|--------|------------|----------|------------|----------------|----------------------|-------------|---|
| SPELEO<br>           | VUS009 | 796        | one size | one size   | one size       | Black-Red            | CE EN 12277 | Canyon<br>Speleology<br>*<br>***        |
| CANYON<br>           | SVG001 | 572        | one size | one size   | one size       | Black-Red            | CE EN 12277 | Canyon<br>Speleology<br>***<br>*        |
| CANYON+<br>          | CUC001 | 870        | one size | one size   | one size       | Black-Blue           | CE EN 12277 | Canyon<br>Speleology<br>***<br>*        |
| CANICROSS<br>       | CUC006 | 168        | one size | one size   | one size       | Red<br>Black<br>Blue |             | Canicross<br>Dog Trekking<br>***<br>*** |
| CANICROSS RACE<br> | CUC007 | 154        | one size | one size   | one size       | Blue<br>Black        |             | Canicross<br>Dog Trekking<br>***<br>*** |





ALUMINIUM CARABINERS



**SWIFT CLICK**

ZRC057

A carabiner for situations where the rivet is just a little bit too high for you to reach, but you desperately need to clip on. The wire backstop holds the lock open, any light pressure from the edge of the rivet will automatically close the carabiner. We recommend using Swift Click in combination with a reinforced quickdraw or clipping pole.

Certified according to EN12275, as a sports carabiner.  
Low weight.  
Simple manipulation.  
Bent lock.



**SWIFT**

ZRC041

Very light carabiner with a bent wire lock suitable for express set or climbing in mountains and ice. The wire lock reduces the weight of the carabiner and, above all, does not freeze or fill with sand. In addition, the low weight of the wire latch minimizes the risk of the carabiner opening when striking a rock.

Very low weight.  
It does not freeze.  
Bend lock.  
Available in 4 colors.



**RACER STRAIGHT**

ZRC045

Light, small and compact locking carabiner. Angled Keylock prevents unwanted catch on the rope, loop, or harness. Screw lock ensures effective locking of carabiner.

Low weight.  
In three colours.  
K- lock .



**RACER BENT**

ZRC046

Lightweight multipurpose carbine with full lock. Ideal as a bottom carabiner in quickdraws or as a separate carabiner in traditional and sport climbing. Angled Keylock prevents unwanted catch on the rope, loop, or harness. It's suitable for those who prefer maximum strength and reliability to low weight.

Low weight.  
Bent lock.  
K-lock system.



**RACER S**

ZRC047

Light, small and compact locking carabiner. Angled Keylock prevents unwanted catch on the rope, loop, or harness. Screw lock ensures effective locking of carabiner. Certified for both sport and industrial use.

Screw Lock .  
K-lock system.  
In three colors.



**HMS SMART S**

ZRC050

Light, small and for good price. Angled Keylock prevents unwanted catch on the rope, loop, or harness. Screw lock ensures effective locking of carabiner.

Screw Lock.  
Angled Keylock.  
Three colors.  
Certified for both sport and industrial use.



**HMS SMART 2T**

ZRC051

Light, small and for good price. New twist lock carabine HMS Smart 2T. K-Lock ensures effective locking of carabiner.

Excellent price / performance ratio  
Twist-lock fuse (2T)  
K-lock system  
Certified for both sport and industrial use.  
Three colors.



**HMS SMART 3T**

ZRC052

Light, small and for good price. Angled Keylock prevents unwanted catch on the rope, loop, or harness. Tri-lock system (3T) ensures effective locking of carabiner.

Certified for both sport and industrial use.  
Tri-lock system (3T).  
Angled Keylock.  
One color.



**HMS MAGNUM S**

ZRC031

MS carabiner with screw lock. Certified for sports (EN12275) and industrial (EN362) use. The keylock design locks securely and does not catch slings, ropes or harnesses.

Minimal weight and high strength.  
Screw Lock.  
K-lock system.  
Ergonomic shape.



**HMS MAGNUM 2T**

ZRC032

MS carabiner with Twist- lock system. Certified for sports (EN12275) and industrial (EN362) use. The keylock design locks securely and does not catch slings, ropes or harnesses.

Minimal weight and high strength  
Twist- lock system.  
K-lock system  
Ergonomic shape

Harnesses

Carabiners & Belays

Express & Open Slings

Cams & Stoppers

Helmets & Via Ferrata

Ropes

Climbing shoes













Crampons & Ice Axes

Sleeping bags

Special offers & sets

Accessories

Promo Material

|   |  |                         |        |  |   |  |                                   |        |   |
|---|--|-------------------------|--------|--|---|--|-----------------------------------|--------|---|
|    |  | <b>HMS MAGNUM 3T</b>    | ZRC033 | <p>MS carabiner with Tri- lock system.<br/>Certified for sports (EN12275) and industrial (EN362) use.<br/>The keylock design locks securely and does not catch slings, ropes or harnesses.</p> <p>Minimal weight and high strength<br/>Tri- lock.<br/>K-lock system.<br/>Ergonomic shape.<br/>Bent lock.</p>   |    |  | <b>OPUS S</b>                     | ZRC058 | <p>Aluminium Carabiner with screw lock.<br/>Certified for sports (EN12275) and industrial (EN362) use.<br/>The screw lock ensures effective locking of the carabiner.<br/>The keylock design locks securely and does not catch slings, ropes or harnesses.</p> <p>Screw Lock.<br/>K-lock system.</p>  |
|    |  | <b>CARABINER INDOOR</b> | ZRC018 | <p>Steel carabiner Indoor with wire lock.<br/>Targeted not only on climbing walls, but also outdoor.<br/>The wire lock reduces the weight of the carabiner and, above all, does not freeze or fill with sand. In addition, the low weight of the wire latch minimizes the risk of the carabiner opening when striking a rock.</p> <p>Very low weight.<br/>It does not freeze.<br/>Band lock.</p> |    |  | <b>OPUS 2T</b>                    | ZRC059 | <p>Aluminium Carabiner with Twist - Lock system.<br/>Certified for sports (EN12275) and industrial (EN362) use.<br/>The keylock design locks securely and does not catch slings, ropes or harnesses.</p> <p>Twist - Lock.<br/>K-lock system.</p>  |
|     |  | <b>2 TAP S</b>          | ZRC054 | <p>HMS carabiner with screw lock and safety latch.<br/>The safety latch fixes the position of the carabiner in sit harness belay loop. It increases the peace of mind of the user.<br/>Certified for sports (EN12275) and industrial (EN362) applications.<br/>The screw lock ensures effective locking of the carabiner.</p> <p>Screw Lock.<br/>K-lock System.<br/>Safety Latch.</p>            |   |  | <b>OPUS 2T BLACK</b>              | ZRC061 | <p>Aluminium Carabiner with Twist - Lock system in black color.<br/>Certified for sports (EN12275) and industrial (EN362) use.<br/>The keylock design locks securely and does not catch slings, ropes or harnesses.</p> <p>Twist - Lock.<br/>K-lock system.</p>   |
|   |  | <b>2 TAP 2T</b>         | ZRC055 | <p>HMS carabiner with twist lock and safety latch.<br/>The safety latch fixes the position of the carabiner in sit harness belay loop. It increases the peace of mind of the user.<br/>Certified for sports (EN12275) and industrial (EN362) applications.<br/>The screw lock ensures effective locking of the carabiner.</p> <p>Twist Lock.<br/>K-lock System.<br/>Safety Latch.</p>            |  |  | <b>OPUS 3T</b>                    | ZRC060 | <p>Aluminium Carabiner with Tri- Lock system.<br/>Certified for sports (EN12275) and industrial (EN362) use.<br/>The keylock design locks securely and does not catch slings, ropes or harnesses.</p> <p>Tri - Lock.<br/>K-lock system.</p>   |
|    |  | <b>2 TAP 3T</b>         | ZRC056 | <p>HMS carabiner with Tri-lock system and safety latch.<br/>The safety latch fixes the position of the carabiner in sit harness belay loop. It increases the peace of mind of the user.<br/>Certified for sports (EN12275) and industrial (EN362) applications.<br/>The screw lock ensures effective locking of the carabiner.</p> <p>Tri-lock.<br/>K-lock System.<br/>Safety Latch.</p>         |  |  | <b>CARABINER AL O KL-2T BLACK</b> | ZRC038 | <p>Aluminium Carabiner with Twist - Lock system in black color.<br/>Certified for sports (EN12275) and industrial (EN362) use.<br/>The screw lock ensures effective locking of the carabiner.<br/>The keylock design locks securely and does not catch slings, ropes or harnesses.</p> <p>Twist - Lock.<br/>K-lock system.<br/>Bent lock.</p> |

Harnesses

Carabiners & Belays

Express & Open Slings

Cams & Stoppers

Helmets & Via Ferrata

Ropes

Climbing shoes

Crampons & Ice Axes

Sleeping bags

Special offers & sets

Accessories

Promo Material



STEEL CARABINERS



**HMS MAGNUM STEEL S** ZRC042

Steel HMS carabiner with screw lock.  
Certified for sports (EN12275) and industrial (EN362) use.  
The screw lock ensures effective locking of the carabiner.  
The keylock design locks securely and does not catch slings, ropes or harnesses.

Screw Lock.  
K-lock system.  
Ergonomic shape.



**HMS MAGNUM STEEL 2T** ZRC043

Steel HMS carabiner with Twist-lock system.  
Certified for sports (EN12275) and industrial (EN362) use.  
The screw lock ensures effective locking of the carabiner.  
The keylock design locks securely and does not catch slings, ropes or harnesses.

Twist-lock.  
K-lock system.  
Ergonomic shape.



**HMS MAGNUM STEEL 3T** ZRC044

Steel HMS carabiner with Tri-Lock system.  
Certified for sports (EN12275) and industrial (EN362) use.  
The screw lock ensures effective locking of the carabiner.  
The keylock design locks securely and does not catch slings, ropes or harnesses.

Tri-Lock.  
K-lock system.  
Ergonomic shape.



**STEEL CARABINER O KL-S** ZRC021

Steel carabiner with screw lock.  
Certified for sports (EN12275) and industrial (EN362) applications.  
The screw lock ensures effective locking of the carabiner.  
The keylock design locks securely and does not catch slings, ropes or harnesses.

Screw Lock.  
K-lock system.



**STEEL CARABINER O KL-2T** ZRC020

Steel Carabiner with Twist - Lock system.  
Certified for sports (EN12275) and industrial (EN362) use.  
The twist-Lock system ensures effective locking of the carabiner.  
The keylock design locks securely and does not catch slings, ropes or harnesses.

Twist - Lock.  
K-lock system.



**STEEL CARABINER O KL-2T** ZRC040

**Black**  
Steel Carabiner with Twist - Lock system in black color.  
Certified for sports (EN12275) and industrial (EN362) use.  
The twist-Lock system ensures effective locking of the carabiner.  
The keylock design locks securely and does not catch slings, ropes or harnesses.

Twist - Lock.  
K-lock system.



**STEEL CARABINER O KL-3T** ZRC034

Steel Carabiner with Tri - Lock system.  
Certified for sports (EN12275) and industrial (EN362) use.  
The screw lock ensures effective locking of the carabiner.  
The keylock design locks securely and does not catch slings, ropes or harnesses.

Tri- Lock.  
K-lock system.



**STEEL CARABINER D KL-S** ZRC023

Steel D carabiner with screw lock.  
The screw lock ensures effective locking of the carabiner.  
The keylock design locks securely and does not catch slings, ropes or harnesses.

Screw Lock.  
K-lock system.



**STEEL CARABINER D KL-2T** ZRC022

Steel D carabiner with Twist-Lock system.  
The Twist-Lock system ensures effective locking of the carabiner.  
The keylock design locks securely and does not catch slings, ropes or harnesses.

Twist-Lock.  
K-lock system.



**STEEL CARABINER D KL-2T** ZRC039

**Black**  
Steel D carabiner with Twist-Lock system in black color  
The Twist-Lock system ensures effective locking of the carabiner.  
The keylock design locks securely and does not catch slings, ropes or harnesses.

Twist-Lock.  
K-lock system.

Harnesses

Carabiners & Belays

Express & Open Slings

Cams & Stoppers

Helmets & Via Ferrata

Ropes

Climbing shoes

Crampons & Ice Axes

Sleeping bags

Special offers & sets

Accessories

Promo Material





**STEEL CARABINER D KL-3T** ZRC035

Steel D carabiner with Tri-Lock system.  
The Tri-Lock system ensures effective locking of the carabiner.  
The keylock design locks securely and does not catch slings, ropes or harnesses.

Tri-Lock.  
K-lock system.



**MAILLON O** ZWM008

Steel working carabiner with screw lock .  
It offers quality and precision in every detail.  
Certified for sports (EN12275) and industrial (EN362) applications.  
The screw lock ensures effective locking of the carabiner.  
After tightening the lock with a wrench, you can use the maillon as a permanent anchor.

Screw Lock.



**MAILLON D** ZWM010

Steel working D Maillon with screw lock .  
Screw lock  
After tightening the lock with a wrench, you can use the maillon as a permanent anchor.

Certified for sports (EN12275) and industrial (EN362) applications.



**MAILLON DELTA** ZWM009

Triangular Maillon. After tightening the lock with a wrench, you can use maillon as a permanent anchor.

Steel working carabiner with Screw Lock.  
It offers quality and precision in every detail.  
Certified for sports (EN12275) and industrial (EN362) applications.  
The screw lock ensures effective locking of the carabiner.

**TYPE OF LOCKS**


**SCREW LOCK (S)**

The manual screw lock on the gate is controlled simply using one hand. Once the screw lock in the upper part of the carabiner is rotated down onto the gate, the carabiner can be opened as shown in the picture.




**TWIST LOCK (2T)**

The twist lock system has an automatic lock and quick unlock. To open the carabiner, do two independent movements as shown in the picture.



**TRI-LOCK (3T)**

The Tri-Lock system has an automatic lock and quick unlock. To open the carabiner, three independent movements are needed as shown in the picture.





QUICKDRAWS

|  |  |  |        |
|--|--|--|--------|
|  |  | <b>SET COMBI P16</b><br>Very versatile quickdraw COMBI P16 with lightweight multipurpose carbine with full lock and lower carabiner with wire gate for easy click. The wire gate on the carabiner reduces the quickdraw weight and prevent freezing specially in alpine environments. Thanks to the low weight, there is minimal risk of the carabiner opening when impacting against rocks.<br><br>K-lock system<br>PA 16 mm<br>Combination of Racer Straight and Swift, delivered with rubber Anti Slip band.        | SES008 |
|  |  | <b>SET RACER D13</b><br>Quickdraws with Racer Straight and Racer Bent carabiners. Upper multipurpose carbine with full lock. Bottom bent carabiner with the key lock system for smooth clipping and unclipping the rope, angled Keylock prevents unwanted catch on the rope, loop, or harness. It's suitable for those who prefer maximum strength and reliability to low weight.<br><br>K-lock system.<br>Dyneema strap 13 mm.<br>Combination of Racer Bent and Racer Straight, delivered with rubber Anti Slip band. | SES012 |
|  |  | <b>SET RACER P16</b><br>Quickdraws with Racer Straight and Racer Bent carabiners. Upper multipurpose carbine with full lock. Bottom bent carabiner with the key lock system for smooth clipping and unclipping the rope, angled Keylock prevents unwanted catch on the rope, loop, or harness. It's suitable for those who prefer maximum strength and reliability to low weight.<br><br>K-lock system.<br>PA 16 mm.<br>Combination of Racer Bent and Racer Straight, delivered with rubber Anti Slip band.            | SES010 |
|  |  | <b>SET SWIFT D13</b><br>Quickdraws with light-weight carabiners in new, vibrant colours. The wire gate on the carabiner reduces the quickdraw weight and prevent freezing specially in alpine environments.<br><br>Thanks to the low weight, there is minimal risk of the carabiner opening when impacting against rocks.<br><br>Delivered with rubber Anti Slip band.   | SES006 |
|  |  | <b>SET SWIFT P16</b><br>Quickdraws with light-weight carabiners in new, vibrant colours. The wire gate on the carabiner reduces the quickdraw weight and prevent freezing specially in alpine environments.<br><br>Thanks to the low weight, there is minimal risk of the carabiner opening when impacting against rocks.<br><br>Delivered with rubber Anti Slip band.<br>Anti Slip Protective Cap   | SES007 |

|  |  |  |        |
|--|--|--|--------|
|  |  | <b>SET ROCK PACK COMBI P16</b><br>Set of six universal quickdraws COMBI P16 with lightweight multipurpose carbine with full lock and lower carabiner with wire gate for easy click.<br><br>It does not freeze.<br>Anti Slip Protective Cap.<br>K-lock system.<br>PA 16 mm.<br>Combination of Racer Straight and Swift.<br>Delivered with rubber Anti Slip band. Set In colors aqua, lime and fuchsia.          | SES009 |
|  |  | <b>SET ROCK PACK RACER D13</b><br>Set of six universal quickdraws with Racer Straight and Racer Bent carabiners. It's suitable for those who prefer maximum strength and reliability to low weight.<br><br>Anti Slip Protective Cap.<br>K-lock system.<br>Dyneema strap 13 mm.<br>Combination of Racer Bent and Racer Straight.<br>Delivered with rubber Anti Slip band. Set in colors aqua, lime and fuschia. | SES013 |
|  |  | <b>SET ROCK PACK RACER P16</b><br>Set of six universal quickdraws with Racer Straight and Racer Bent carabiners. It's suitable for those who prefer maximum strength and reliability to low weight.<br><br>Anti Slip Protective Cap.<br>K-lock system.<br>PA 16 mm.<br>Combination of Racer Bent and Racer Straight.<br>Delivered with rubber Anti Slip band. Set in colors aqua, lime and fuschia.            | SES011 |
|  |  | <b>SET ROCK PACK SWITF D13</b><br>Set of 6 quickdraws with light-weight carabiners.<br>The wire gate on the carabiner reduces the quickdraw weight and prevent freezing specially in alpine environments.<br><br>Anti Slip Protective Cap.<br>6 quickdraws per package.<br>Dyneema strap 13 mm,<br>Swift carabiners,<br>Delivered with rubber Anti Slip band. Set in colors aqua, lime and fuschia.            | SES004 |
|  |  | <b>SET ROCK PACK SWIFT P16</b><br>Set of 6 quickdraws with light-weight carabiners.<br>The wire gate on the carabiner reduces the quickdraw weight and prevent freezing specially in alpine environments.<br><br>Anti Slip Protective Cap.<br>6 quickdraws per package.<br>PA 16 mm.<br>Swift carabiners.<br>Delivered with rubber Anti Slip band. Set in colors aqua, lime and fuschia.                       | SES005 |




### SET INDOOR RAPIDE

SEI004

Indoor Express Combi P16 with Maillon upper steel carabiner and lower steel wire

The Indoor carabiner is designed for climbing walls.

Anti Slip Protective Cap.  
PA strap 25/16 mm.  
Combination of Maillon and Indoor Carabiners.



### SET LONG ARM CLICK

SEL005

Set Long Arm Click serves as an extended arm when connecting the belay point from the climbing position. Extra long, reinforced, stitched webbing for situations where the bolt is just a little bit too high for you to reach, but you desperately need to clip in.


With the Long Arm Click it is easy to engage belay points in situations where we cannot reach from a climbing position to a steadily positioned belay. Reinforced fixed sling and carabiner with a wire backstop, which holds the lock open until you lightly touch the edge of the bolt and the carabiner closes itself.

It is recommended to follow a certain safety rule: as the rigidity of the structure does not allow sufficient flexibility of movement at the belay point, it is advisable to use standard protection subsequently.

The wire lock reduces the weight of the carabiner and, above all, does not freeze in alpine conditions! It does not freeze. **Sling length 30 cm.**

Anti Slip protective cap and carabiner fastening on lanyard.  
PA strap 16 mm.  
Swift carabiners.

Use:  
Climber with small stature  
Improperly situated belay point  
Physical exhaustion  
Mental stress



### SET LONG ARM 2

SEL004

Set Long Arm 2 serves as an extended arm when connecting the belay point from the climbing position.


With the Long Arm 2 it is easy to engage belay points in situations where we cannot reach from a climbing position to a steadily positioned belay. Reinforced construction allows connection of the locking point without gripping the carabiner and without the previous complicated locking of the carabiner.

It is recommended to follow a certain safety rule: as the rigidity of the structure does not allow sufficient flexibility of movement at the belay point, it is advisable to use standard protection subsequently.

The wire lock reduces the weight of the carabiner and, above all, does not freeze in alpine conditions! The low weight of the wire latch minimizes the risk of the carabiner opening when striking a rock. Sling lenght 25 cm.

Use:  
Climber with small stature.  
Improperly situated belay point.  
Physical exhaustion.  
Mental stress.

BELAY DEVICES



### GYM

ZRB013

An ultra-light, aluminum device for belaying and rappelling specifically designed for use in climbing gyms.

For ropes diameter: 8,9- 11 mm .  
Intended only for belaying, never use for abseiling.




### GUARAD SB

ZRB018

A new universal belay device suitable for belaying and rappelling on rocks, multi-pitches, in the mountains and on ice. The belay device has an extended life thanks to the stainless steel bar, which the ropes go over.

The belay device works best with ropes from 8.7 to 11 mm in diameter. Another advantage generally applicable to this type of belay device is the separation of ropes during descents, which do not allow for the rope to twist.




### GUARD

ZRB002

Guard is a universal, multi-featured aluminum device for belaying and rappelling for ropes with a diameter of 7.8- 11 mm.

Ideal for climbing with two ropes.

Guard is a simple belay device for climbing on rocks and indoor walls. For connection of rope, belay and harness we recommend screw HMS carabiner.




### GUARD II

ZRB011

Guard II is a universal, multi-featured aluminum device for belaying and rappelling. Guard II offers belaying for one or two seconding climbers independently.

It has an auto-block system, which can be released by the hole for unblocking. The design ensures higher friction for slowing and stopping the rope.



### EIGHT

ZRB001

A traditional belay and rappelling device that is made from hot forged Al-alloy of high durability.

The ideal shape and size allows descending with one or two ropes.

Rope 9- 11 mm.  
Blue and Black color (EIGHT BLACK ZRB014)




| CARABINERS                    | Code   | Weight<br>(g) | ↔↔<br>(kN) | ↕<br>(kN) | ↔↗<br>(kN) | Ø<br>(mm) | Material  | Norms              | Colours                     | Application  |
|-------------------------------|--------|---------------|------------|-----------|------------|-----------|-----------|--------------------|-----------------------------|--------------|
| SWIFT CLICK                   | ZRC057 | 36            | 22         | 7         | 7          | 17        | Aluminium | EN 12275           | Red                         | Sport        |
| SWIFT                         | ZRC041 | 36            | 22         | 7         | 7          | 17        | Aluminium | EN 12275           | Lime / Grey / Aqua / Purple | Sport        |
| RACER STRAIGHT                | ZRC045 | 47            | 24         | 9         | 8          | 20        | Aluminium | EN 12275           | Lime / Purple / Aqua        | Sport        |
| RACER BENT                    | ZRC046 | 48            | 24         | 9         | 8          | 22        | Aluminium | EN 12275           | Lime / Purple / Aqua        | Sport        |
| RACER S                       | ZRC047 | 53            | 24         | 9         | 8          | 17        | Aluminium | EN 12275 / EN 362  | Lime / Grey / Aqua          | Sport / Work |
| HMS SMART S                   | ZRC050 | 68            | 24         | 8         | 6          | 21        | Aluminium | EN 12275 / EN 362  | Lime / Grey / Aqua / Purple | Sport        |
| HMS SMART 2T                  | ZRC051 | 76            | 24         | 8         | 6          | 21        | Aluminium | EN 12275 / EN 362  | Lime / Grey / Aqua          | Sport        |
| HMS SMART 3T                  | ZRC052 | 77            | 24         | 8         | 6          | 21        | Aluminium | EN 12275 / EN 362  | Grey                        | Sport        |
| HMS MAGNUM S                  | ZRC031 | 90            | 26         | 10        | 8          | 24        | Aluminium | EN 12275 / EN 362  | Lime / Grey / Aqua          | Sport / Work |
| HMS MAGNUM 2T                 | ZRC032 | 96            | 26         | 10        | 8          | 24        | Aluminium | EN 12275 / EN 362  | Lime / Grey / Aqua          | Sport / Work |
| HMS MAGNUM 3T                 | ZRC033 | 96            | 26         | 10        | 8          | 24        | Aluminium | EN 12275 / EN 362  | Grey                        | Sport / Work |
| CARABINER INDOOR              | ZRC018 | 128           | 25         | 9         | 9          | 26        | Steel     | EN 12275           | Silver-Orange               | Sport        |
| 2 TAP S                       | ZRC054 | 84            | 24         | 7         | 6          | 24        | Aluminium | EN 12275 / EN 362  | Lime/ Aqua                  | Sport / Work |
| 2 TAP 2T                      | ZRC055 | 86            | 24         | 7         | 6          | 24        | Aluminium | EN 12275 / EN 362  | Lime/ Aqua                  | Sport / Work |
| 2 TAP 3T                      | ZRC056 | 91            | 24         | 7         | 6          | 24        | Aluminium | EN 12275 / EN 362  | Grey                        | Sport / Work |
| OPUS O-S                      | ZRC058 | 70            | 26         | 10        | 7          | 20        | Aluminium | EN 12275 / EN 362  | Grey-Red                    | Sport / Work |
| OPUS O-2T                     | ZRC059 | 74            | 26         | 10        | 7          | 20        | Aluminium | EN 12275 / EN 362  | Grey-Red                    | Sport / Work |
| OPUS O-2T BLACK               | ZRC061 | 74            | 26         | 10        | 7          | 20        | Aluminium | EN 12275 / EN 362  | Black                       | Sport / Work |
| OPUS O-3T                     | ZRC060 | 74            | 26         | 10        | 7          | 20        | Aluminium | EN 12275 / EN 362  | Grey-Red                    | Sport / Work |
| CARABINER AL O KL-2T BLACK    | ZRC038 | 86            | 26         | 10        | 6          | 17        | Aluminium | EN 12275 / EN 362  | Silver-Orange               | Sport / Work |
| HMS MAGNUM STEEL S            | ZRC042 | 246           | 46         | 18        | 18         | 24        | Steel     | EN 12275 / EN 362  | Silver-Orange               | Sport / Work |
| HMS MAGNUM STEEL 2T           | ZRC043 | 254           | 46         | 18        | 18         | 23        | Steel     | EN 12275 / EN 362  | Silver-Orange               | Sport / Work |
| HMS MAGNUM STEEL 3T           | ZRC044 | 253           | 46         | 18        | 18         | 23        | Steel     | EN 12275 / EN 362  | Silver-Orange               | Sport / Work |
| STEEL CARABINER O KL-S        | ZRC021 | 172           | 28         | 18        | 10         | 18        | Steel     | EN 12275 / EN 362  | Silver-Orange               | Sport / Work |
| STEEL CARABINER O KL-2T       | ZRC020 | 174           | 28         | 18        | 10         | 18        | Steel     | EN 12275 / EN 36-2 | Silver-Orange               | Sport / Work |
| STELL CARABINER O KL-2T BLACK | ZRC040 | 174           | 28         | 18        | 10         | 18        | Steel     | EN 12275 / EN 362  | Black                       | Sport / Work |
| STEEL CARABINER O KL-3T       | ZRC034 | 174           | 28         | 18        | 10         | 18        | Steel     | EN 12275 / EN 362  | Silver-Orange               | Sport / Work |
| STEEL CARABINER D KL-S        | ZRC023 | 212           | 40         | 18        | 18         | 24        | Steel     | EN 12275 / EN 362  | Silver-Orange               | Sport / Work |
| STEEL CARABINER D KL-2T       | ZRC022 | 214           | 40         | 18        | 18         | 24        | Steel     | EN 12275 / EN 362  | Silver-Orange               | Sport / Work |
| STEEL CARABINER D KL-2T BLACK | ZRC039 | 214           | 40         | 18        | 18         | 24        | Steel     | EN 12275 / EN 362  | Black                       | Sport / Work |
| STEEL CARABINER D KL-3T       | ZRC035 | 212           | 40         | 18        | 18         | 24        | Steel     | EN 12275 / EN 362  | Silver-Orange               | Sport / Work |
| MAILLON O                     | ZWM008 | 77            | 35         | 10        | —          | 10        | Steel     | EN 12275 / EN 362  | Silver                      | Sport / Work |
| MAILLON D                     | ZWM010 | 152           | 45         | 10        | —          | 10        | Steel     | EN 12275 / EN 362  | Silver                      | Sport / Work |
| MAILLON DELTA                 | ZWM009 | 86            | 27         | 10        | —          | 10        | Steel     | EN 12275 / EN 362  | Silver                      | Sport / Work |





| QUICKDRAWS              | Code   | Weight<br>(g) | Sling<br>Material | Carabiner<br>Material | <br>(kN) | <br>(cm) |
|-------------------------|--------|---------------|-------------------|-----------------------|---|---|
| SET SWIFT D13           | SES006 | 76            | Dyneema 13 mm     | Aluminium             | 22  | 11  |
| SET ROCK PACK SWIFT D13 | SES004 | 473           | Dyneema 13 mm     | Aluminium             | 22  | 11  |
| SET RACER D13           | SES012 | 105           | Dyneema 13 mm     | Aluminium             | 22  | 11  |
| SET ROCK PACK RACER D13 | SES013 | 652           | Dyneema 13 mm     | Aluminium             | 22  | 11  |
| SET COMBI P16           | SES008 | 95            | PA 16 mm          | Aluminium             | 22  | 11  |
| SET ROCK PACK COMBI P16 | SES009 | 592           | PA 16 mm          | Aluminium             | 22  | 11  |
| SET SWIFT P16           | SES007 | 80            | PA 16 mm          | Aluminium             | 22  | 11  |
| SET ROCK PACK SWIFT P16 | SES005 | 520           | PA 16 mm          | Aluminium             | 22  | 11  |
| SET RACER P16           | SES010 | 110           | PA 16 mm          | Aluminium             | 22  | 11  |
| SET ROCK PACK RACER P16 | SES011 | 674           | PA 16 mm          | Aluminium             | 22  | 11  |
| SET INDOOR              | SEI003 | 204           | PA 25 / 16 mm     | Steel                 | 22  | 14  |
| SET LONG ARM 2          | SEL004 | 108           | PA 16 mm          | Aluminium             | 22  | 25  |
| SET LONG ARM CLICK      | SEL005 | 110           | PA 16 mm          | Aluminium             | 22  | 30  |


| BELAY DEVICES | Code   | Rope<br>diameter<br>(mm) | Weight<br>(g) | Colour              | Material  |
|---------------|--------|--------------------------|---------------|---------------------|-----------|
| GYM           | ZRB013 | 8.9 – 11                 | 54            | Blue                | Aluminium |
| GUARD         | ZRB002 | 7.8 – 11                 | 56            | Orange              | Aluminium |
| GUARD II      | ZRB011 | 7.8 – 11                 | 62            | Aqua, / Red         | Aluminium |
| GUARD SB      | ZRB018 | 8.7 – 11                 | 72            | Aqua, / Lime / Grey | Aluminium |
| EIGHT         | ZRB001 | 9 – 11                   | 104           | Aqua                | Aluminium |
| EIGHT BLACK   | ZRB014 | 9 – 11                   | 114           | Black               | Aluminium |





EXPRESS SLINGS

OPEN SLINGS



**EXPRESS SLING DYN 13 mm** CED011

Express Sling 13 mm wide. Available in three lengths. The package includes an Anti Slip protective cup to fix the carabiner in the correct position.  
Material: Dyneema, Norms: CE EN 566

| Code   | Length | Strength | Width | MOQ* | Colour       |
|--------|--------|----------|-------|------|--------------|
| CED011 | 11 cm  | 22 kN    | 13mm  | 5    | 03 / 04 / 06 |
| CED018 | 18 cm  | 22 kN    | 13mm  | 5    | 03 / 04 / 06 |
| CED026 | 26 cm  | 22 kN    | 13mm  | 5    | 03 / 04 / 06 |

\* Minimum Order Quantities




**OPEN SLING PA 16 mm** CO031

Open sling 16 mm width.  
Available in seven lengths.  
Material: PA, Norms: CE EN 566

| Code   | Length | Strength | Width | MOQ* | Colour       |
|--------|--------|----------|-------|------|--------------|
| COA031 | 31 cm  | 22 kN    | 16 mm | 5    | 03 / 04 / 06 |
| COA060 | 60 cm  | 22 kN    | 16 mm | 10   | 03 / 04 / 06 |
| COA080 | 80 cm  | 22 kN    | 16 mm | 10   | 03 / 04 / 06 |
| COA120 | 120 cm | 22 kN    | 16 mm | 5    | 03 / 04 / 06 |
| COA150 | 150 cm | 22 kN    | 16 mm | 3    | 03           |
| COA180 | 180 cm | 22 kN    | 16 mm | 3    | 06           |
| COA240 | 240 cm | 22 kN    | 16 mm | 3    | 04           |

\* Minimum Order Quantities




**EXPRESS SLING PA 16 mm** CEA011

Express Sling 16 mm wide. Available in three lengths. The package includes an Anti Slip protective cup to fix the carabiner in the correct position.  
Material: PA, Norms: CE EN 566

| Code   | Length | Strength | Width | MOQ* | Colour       |
|--------|--------|----------|-------|------|--------------|
| CEA011 | 11 cm  | 22 kN    | 16mm  | 5    | 03 / 04 / 06 |
| CEA018 | 18 cm  | 22 kN    | 16mm  | 5    | 03 / 04 / 06 |
| CEA026 | 26 cm  | 22 kN    | 16mm  | 5    | 03 / 04 / 06 |

\* Minimum Order Quantities



**OPEN SLING PA 20 mm** COP031

Open sling,

Open sling 20 mm width.  
Available in seven lengths.  
Material: PA, Norms: CE EN 566

| Code   | Length | Strength | Width | MOQ* | Colour       |
|--------|--------|----------|-------|------|--------------|
| COP031 | 31 cm  | 22 kN    | 20 mm | 5    | 23 / 04 / 08 |
| COP060 | 60 cm  | 22 kN    | 20 mm | 10   | 23 / 04 / 08 |
| COP080 | 80 cm  | 22 kN    | 20 mm | 10   | 23 / 04 / 08 |
| COP120 | 120 cm | 22 kN    | 20 mm | 5    | 23 / 04 / 08 |
| COP150 | 150 cm | 22 kN    | 20 mm | 3    | 08           |
| COP180 | 180 cm | 22 kN    | 20 mm | 3    | 23           |
| COP240 | 240 cm | 22 kN    | 20 mm | 3    | 04           |

\* Minimum Order Quantities



**EXPRESS SLING PA 20 mm** CEP011

Express Sling 20 mm wide. Available in three lengths. The package includes an Anti Slip protective cup to fix the carabiner in the correct position.  
Material: PA, Norms: CE EN 566

| Code   | Length | Strength | Width | MOQ*         | Colour       |
|--------|--------|----------|-------|--------------|--------------|
| CEP011 | 11 cm  | 22 kN    | 20mm  | 5            | 23 / 04 / 08 |
| CEP018 | 18 cm  | 22 kN    | 20mm  | 5            | 23 / 04 / 08 |
| CEP026 | 26 cm  | 22 kN    | 20mm  | 5            | 23 / 04 / 08 |
| CEP031 | 31 cm  | 22 kN    | 20mm  | 20+pre-order | 23 / 04 / 08 |

\* Minimum Order Quantities



**OPEN SLING DYN 10mm** CON031

Open sling 10 mm width.  
Available in six lengths.  
Material: PA, Norms: CE EN 566

| Code   | Length | Strength | Width | MOQ*         | Colour |
|--------|--------|----------|-------|--------------|--------|
| CON031 | 31 cm  | 22 kN    | 10 mm | 5            | 05     |
| CON060 | 60 cm  | 22 kN    | 10 mm | 10           | 05     |
| CON080 | 80 cm  | 22 kN    | 10 mm | 10           | 05     |
| CON120 | 120 cm | 22 kN    | 10 mm | 5            | 05     |
| CON150 | 150 cm | 22 kN    | 10 mm | 10+pre-order | 05     |
| CON180 | 180 cm | 22 kN    | 10 mm | 10+pre-order | 05     |

\* Minimum Order Quantities



**PIP**

ZRB020

PIP is an adjustable positioning rope lanyard for attaching to anchors.

It is made of an 8 mm thick dynamic rope designed to absorb the force of a possible fall.

Adjustable from 15 to 85 cm.

Adjusting it is very smooth. The unique design allows adjustment even under load. The metal component is made of stainless steel. Its design is unique. It attaches to the tie-in point of the harness with the loop.

Once connected, simply pull on the free end of the lanyard to pull towards the anchor or release the tension by holding the device open with the thumb lever. Large connection hole with anti slip rubber piece accommodates all sizes of locking carabiners.

With only 120 grams, PIP is a light-weight, adjustable lanyard. Made in Czechia.

The carabiner is not part of the product.  
*PIP is not intended for use on via ferrata routes.*

Weight: 120 g  
Adjustable from 15 to 85 cm  
Material: Aluminium



**DAISY CHAIN**

CED110

Daisy Chain is an anchoring and connection device, which consists of 8 weight bearing loops. This unique sling can be used in a variety of ways while maintaining safety. Material: Dyneema, Norms: CE EN 566  
Strength: Whole Sling 22 kN / Each Loop 3 kN  
Available in two lengths.

| Code   | Length | Strength | Width | Colour |
|--------|--------|----------|-------|--------|
| CED110 | 110 cm | 22 kN    | 13 mm | 04     |
| CED140 | 140 cm | 22 kN    | 13 mm | 05     |



05 RED



04 AQUA



**WEBBING ON BOBBIN PA**

ZEP004


Webbing on a Bobbin PA.  
Webbing may contain up to maximum 3 cuts – not guaranteed to be one uninterrupted length of 100m.

| Code   | Width | Length | Strength | Material   | Weight   | Colour |
|--------|-------|--------|----------|------------|----------|--------|
| ZEP004 | 12 mm | 100 m  | 9.5 kN   | PA / Nylon | 23 g / m | 08     |
| ZEP002 | 16 mm | 100 m  | 15 kN    | PA / Nylon | 36 g / m | 04     |
| ZEP001 | 20 mm | 100 m  | 15 kN    | PA / Nylon | 38 g / m | 08     |
| ZEP003 | 25 mm | 100 m  | 20 kN    | PA / Nylon | 42 g / m | 09     |





CAMS




AXEL SET

SFX256

ROCK EMPIRE's Axel spring loaded camming device offers a double-axel design that offers flexibility in terms of expansion range and light weight. Each size comes with a colour-coded extendable dyneema sling. Available for purchase individually or as part of the 6 or 8 piece set.

8 Sizes.  
One stem cam.  
Double-axle design offers a wide range for each cam unit.  
Extendable dyneema colour-coded slings and large loops for easy manipulation.

| Code   | Size   | Range min. / max. (mm) | Weight (g) | Strength (kN) | Norm        |
|--------|--------|------------------------|------------|---------------|-------------|
| ZFX025 | 0.25   | 14 – 22                | 98         | 6             | CE EN 12276 |
| ZFX050 | 0,5    | 16 – 27                | 100        | 7             | CE EN 12276 |
| ZFX001 | 1      | 18 – 31                | 110        | 8             | CE EN 12276 |
| ZFX002 | 2      | 22 – 38                | 116        | 8             | CE EN 12276 |
| ZFX003 | 3      | 27 – 47                | 134        | 9             | CE EN 12276 |
| ZFX004 | 4      | 35 – 60                | 164        | 9             | CE EN 12276 |
| ZFX005 | 5      | 46 – 80                | 212        | 14            | CE EN 12276 |
| ZFX006 | 6      | 64 – 108               | 254        | 14            | CE EN 12276 |
| SFX256 | 0.25–6 | —                      | 1 188      | —             | CE EN 12276 |
| SFX016 | 1–6    | —                      | 990        | —             | CE EN 12276 |



FLEXOR SET

SFF257

Flexor offers a flexible stem and is versatile with 10 sizes making it perfect for horizontal cracks. Extendable colour-coded dyneema slings and large loops make them easily identifiable.

10 Sizes.  
One stem cam.  
Extendable dyneema colour-coded slings.  
Large loops for easy manipulation.

| Code   | Size   | Range min. / max. (mm) | Weight (g) | Strength (kN) | Norm        |
|--------|--------|------------------------|------------|---------------|-------------|
| ZFF025 | 0.25   | 12 – 16                | 78         | 7             | CE EN 12276 |
| ZFF050 | 0.5    | 14 – 20                | 84         | 9             | CE EN 12276 |
| ZFF075 | 0.75   | 16 – 23                | 86         | 10            | CE EN 12276 |
| ZFF001 | 1      | 19 – 28                | 100        | 11            | CE EN 12276 |
| ZFF002 | 2      | 22 – 34                | 108        | 11            | CE EN 12276 |
| ZFF003 | 3      | 27 – 44                | 118        | 11            | CE EN 12276 |
| ZFF004 | 4      | 33 – 53                | 154        | 12            | CE EN 12276 |
| ZFF005 | 5      | 43 – 68                | 176        | 12            | CE EN 12276 |
| ZFF006 | 6      | 55 – 88                | 224        | 12            | CE EN 12276 |
| ZFF007 | 7      | 70 – 110               | 280        | 12            | CE EN 12276 |
| SFF257 | 0.25–7 | —                      | 1 408      | —             | CE EN 12276 |



COMET SET

SFC258

The Comet is a lightweight spring loaded camming device offered in wide range of sizes.

11 Sizes.  
Light-weight.  
Dyneema colour-coded slings and triggers.

| Code   | Size   | Range min. / max. (mm) | Weight (g) | Strength (kN) | Norm        |
|--------|--------|------------------------|------------|---------------|-------------|
| ZFC025 | 0.25   | 12 – 16.5              | 68         | 7             | CE EN 12276 |
| ZFC050 | 0.5    | 14 – 20                | 72         | 9             | CE EN 12276 |
| ZFC075 | 0.75   | 17 – 24                | 76         | 10            | CE EN 12276 |
| ZFC001 | 1      | 18.5 – 30.5            | 82         | 11            | CE EN 12276 |
| ZFC002 | 2      | 21 – 35                | 96         | 11            | CE EN 12276 |
| ZFC003 | 3      | 26 – 44.5              | 102        | 12            | CE EN 12276 |
| ZFC004 | 4      | 33 – 55                | 138        | 12            | CE EN 12276 |
| ZFC005 | 5      | 43 – 70                | 162        | 12            | CE EN 12276 |
| ZFC006 | 6      | 55 – 89                | 214        | 12            | CE EN 12276 |
| ZFC007 | 7      | 72 – 113               | 258        | 12            | CE EN 12276 |
| ZFC008 | 8      | 90 – 140               | 316        | 12            | CE EN 12276 |
| SFC255 | 0.25–5 | —                      | 796        | —             | CE EN 12276 |
| SFC258 | 0.25–8 | —                      | 1 584      | —             | CE EN 12276 |

STOPPERS



ABALAK SET

SFL016

The Abalak, a version of the English tricam, is a ROCK EMPIRE passive protection device and among the simplest and most eccentric of anchors. The Abalak can settle into rock fissures that have parallel sides either horizontally or vertically. Abalak is well suited to small holes and fissures and, often, it is the only stopper that will work in such situations.

| Size | Range min. / max. (mm) | Strength (kN) | Weight (g) | Norm        |
|------|------------------------|---------------|------------|-------------|
| 1    | 18 – 21                | 6             | 20         | CE EN 12270 |
| 2    | 19 – 26                | 6             | 26         | CE EN 12270 |
| 3    | 21 – 32                | 10            | 36         | CE EN 12270 |
| 4    | 24 – 42                | 10            | 50         | CE EN 12270 |
| 5    | 27 – 53.5              | 14            | 78         | CE EN 12270 |
| 6    | 31 – 63.5              | 14            | 116        | CE EN 12270 |

Note: Stoppers only sold in sets.



DUO SET

SFD016

This is necessary gear when you climb a route with mostly thin cracks. Zinc based alloy ensures high strength and sufficient adhesion to the rock structure.

6 Sizes.  
Weight: 142 g

| Size | Size A (mm) | Size B (mm) | Strength (kN) | Weight (g) | Norm        |
|------|-------------|-------------|---------------|------------|-------------|
| 1    | 10.5        | 6           | 6 / 3         | 16         | CE EN 12270 |
| 2    | 11.5        | 6.8         | 6 / 3         | 16         | CE EN 12270 |
| 3    | 12.5        | 7.8         | 6 / 3         | 20         | CE EN 12270 |
| 4    | 13.5        | 8.7         | 10 / 5        | 28         | CE EN 12270 |
| 5    | 14.5        | 9.8         | 10 / 5        | 30         | CE EN 12270 |
| 6    | 15          | 10.6        | 10 / 5        | 30         | CE EN 12270 |

Note: Stoppers only sold in sets.



ALU NUT SET

SFA019

A combination of high-quality materials and a straight or slightly bent shape offer you great gear for protection in various cracks and scars. The slightly bent shape of the stoppers makes their placing easy and safe. These stoppers are manufactured from aluminium alloy .

9 Sizes.  
Weight: 290 gw

| Size | Strength A (kN) | Strength B (kN) | Weight (g) | Norm        |
|------|-----------------|-----------------|------------|-------------|
| 1    | 9               | 8               | 22         | CE EN 12270 |
| 2    | 9               | 8               | 24         | CE EN 12270 |
| 3    | 9               | 8               | 24         | CE EN 12270 |
| 4    | 10              | 10              | 28         | CE EN 12270 |
| 5    | 10              | 10              | 30         | CE EN 12270 |
| 6    | 10              | 10              | 32         | CE EN 12270 |
| 7    | 10              | 10              | 38         | CE EN 12270 |
| 8    | 12              | 12              | 42         | CE EN 12270 |
| 9    | 12              | 12              | 50         | CE EN 12270 |

Note: Stoppers only sold in sets.



BRASS CHOCK SET

SFB018

Bras Chock Set is a standard wedge-shaped stoppers provide with Granite a unique combination of passive protection for almost any kind of cracks.

8 Sizes.  
Weight: 208 g

| Size | Strength A (kN) | Strength B (kN) | Weight (g) | Norm        |
|------|-----------------|-----------------|------------|-------------|
| 1    | 6               | —               | 17         | CE EN 12270 |
| 2    | 6               | —               | 18         | CE EN 12270 |
| 3    | 7               | —               | 18         | CE EN 12270 |
| 4    | 7               | 4               | 26         | CE EN 12270 |
| 5    | 8               | 7               | 28         | CE EN 12270 |
| 6    | 8               | 7               | 30         | CE EN 12270 |
| 7    | 9               | 8               | 34         | CE EN 12270 |
| 8    | 9               | 8               | 38         | CE EN 12270 |

Note: Stoppers only sold in sets.



VECTOR SET

SFV015

Asymmetric stoppers, 5 sizes, 4 different possible size placements.

6 Sizes.  
Weight: 172 g

| Size | Strength A (kN) | Strength B (kN) | Weight (g) | Norm        |
|------|-----------------|-----------------|------------|-------------|
| 1    | 8               | 5               | 26         | CE EN 12270 |
| 2    | 10              | 10              | 28         | CE EN 12270 |
| 3    | 12              | 10              | 32         | CE EN 12270 |
| 4    | 12              | 10              | 38         | CE EN 12270 |
| 5    | 12              | 12              | 50         | CE EN 12270 |

Note: Stoppers only sold in sets.



GRANITE SET

SFG111

Granite Set is perfect for crack climbing.  
Granite excels in high strength and low weight.

11 Sizes.  
Weight: 370 g

| Size | Strength A (kN) | Strength B (kN) | Weight (g) | Norm        |
|------|-----------------|-----------------|------------|-------------|
| 1    | 6               | —               | 16         | CE EN 12270 |
| 2    | 10              | 5               | 24         | CE EN 12270 |
| 3    | 10              | 10              | 24         | CE EN 12270 |
| 4    | 10              | 10              | 26         | CE EN 12270 |
| 5    | 10              | 10              | 28         | CE EN 12270 |
| 6    | 10              | 10              | 32         | CE EN 12270 |
| 7    | 12              | 12              | 34         | CE EN 12270 |
| 8    | 12              | 12              | 36         | CE EN 12270 |
| 9    | 12              | 12              | 42         | CE EN 12270 |
| 10   | 12              | 12              | 50         | CE EN 12270 |
| 11   | 12              | 12              | 58         | CE EN 12270 |

Note: Stoppers only sold in sets.



HEX SET

SFH016

ROCK EMPIRE's Hex stoppers are great for wider cracks and offer a wide range of placements for many climbing conditions.

6 Sizes.  
Weight: 308 g

| Size | Strength A (kN) | Strength B (kN) | Weight (g) | Norm        |
|------|-----------------|-----------------|------------|-------------|
| 1    | 10              | 8               | 28         | CE EN 12270 |
| 2    | 10              | 8               | 32         | CE EN 12270 |
| 3    | 12              | 10              | 36         | CE EN 12270 |
| 4    | 12              | 10              | 46         | CE EN 12270 |
| 5    | 14              | 12              | 70         | CE EN 12270 |
| 6    | 14              | 12              | 90         | CE EN 12270 |

Note: Stoppers only sold in sets.

OTHERS



NUT TOOL SHORT

ZST002

Multifunctional tool suitable for placing and removing friends and cams.

Lightweight.  
Lenght:172 mm  
Weight: 32 g



NUT TOOL BODKIN

ZST010

Longer version of Nut Tool.

Lightweight.  
Lenght:265mm  
Weight: 30 g



NUT TOOL OPENER

ZST001

Multifunctional tool for retrieving climbing stoppers complete with a bottle opener.

Lenght: 202 mm  
Weight: 56 g





DYNAGO

CTD003

The DynaGo energy absorber for Via ferrata is the first and basic from our range of sports absorbers. It differs from Dynamax and Dynatwist in lower price, it has no metal element between the elastic arms and the energy absorber. The strength eye for sitting down when resting or securing is made of textile. This Via Ferrata lanyard is for all users, from children to adults weighing between 40 -120 kg. Innovative, more durable bag containing the webbing.

Elastic strap with length of 50 cm, 90 cm when extended,  
2 carabiners with keylock design, correspond to EN 12275, type "K",  
Elastic shoulders,  
Carabiners with palm lock,



DYNATWIST

CTD002

The new generation of Via Ferrata equipment from Rock Empire. The main advantage of this new lanyard set is the swivel, connecting the two elastic "arms" to the fall arrest absorber webbing. The swivel segment ensures that the arms are not tangled in climbing and jumping. The carabiners have a palm lock ensuring perfect snap comfort. In addition, the swivel segment is also equipped with a loop for attaching the carabiners, which can be used in cases of resting, sitting or fixed protection.

The Via Ferrata lanyard meets the standard EN 958: 2017 and is suitable for climbers in the weight range of 40 – 120 kg. This set is also suitable for children. The fall arrest absorber webbing is stored in an improved durable package, with an activation indicator for easy inspection.



SIGA

COMING SOON

This Via Ferrata lanyard is improved by larger kyelock carbines with palm lock. Gate opening is 24 mm.

Another advantage of this new lanyard set is the swivel, connecting the two elastic "arms" to the fall arrest absorber webbing. The swivel segment ensures that the arms are not tangled in climbing and jumping. The carabiners have a palm lock ensuring perfect snap comfort. In addition, the swivel segment is also equipped with a loop for attaching the carabiners, which can be used in cases of resting, sitting or fixed protection.

In accordance with a standard EN 958:2017.  
For all users, from the kids to the adults weighting 40 - 120 kg.



LANYARD Y PA FERRATA

CPY015/ CPY020

Special reinforced sling for connecting sit harness and chest harness for climbing on Via Ferrata routes. Thanks to this sling, putting on and adjusting the chest and sit harness is more comfortable, faster and safer. An anti-slip piece is also included.

Available in two lengths.  
Easy to use with any seat and chest harness.  
High load capacity.  
Reduces the risk of poor binding.  
Two sizes distinguished by the color of the seams.  
The package includes an Anti Slip protective tip to fix the carabiner in the correct position.



+



DYNAGO STREAK SET

SGS001

The complete ferrata set includes a lightweight universal harness Streak together with a DynaGo shock absorber. Streak is a fully-adjustable and comfortable sport climbing harness.

DynaGo is for all users, from children to adults weighing between 40 -120 kg.



DYNATWIST STREAK SET

SDS002

The complete ferrata set includes a lightweight universal Streak cushion together with a Dynatwist shock absorber. Streak is a sports harness model, fully padded and adjustable with a buckle at the waist for comfortable size adjustment.

Harness size S-XL.  
Shock absorber can be used in the range of 40-120 kg of the climber's weight, so the set is suitable for children.



FERRATA GO SET

SFG010

The complete ferrata set includes a lightweight harness Speedy together with a chest harness Eight Vario, DynaGo shock absorber and sling.

Energy absorber for Via ferrata Dynago.  
DynaGo has no metal element between the elastic arms and the energy absorber. The strength eye for sitting down when resting or securing is made of textile.  
Harness size S-XL.  
The range of absorber 40-120 kg climber weight.



FERRATA TWIST SET

SFT001

Complete ferrata set, which includes a lightweight Speedy harness with a Eight Vario chest harness, a Dynatwist shock absorber and a loop for connection.

Energy absorber for Via ferrata Dynatwist.  
Harness size S-XL.  
The range of absorber 40-120 kg climber weight.



ROCKER

ZSG002

Half fingered synthetic gloves intended for via ferrata and work with rope. Synthetic leather gloves with padding and stretch fabric.

Synthetic leather.  
Reinforcement of Kevlar.  
Velcro wrist tightening.  
Hole on the lower wrist for easier donning.  
Strap between 3rd and 4th finger for ease of scanning.  
Protective extensions above finger joints against chafing.

Harnesses

Carabiners & Belays

Express & Open Slings

Cams & Stoppers

Helmets & Via Ferrata

Ropes

Climbing shoes

Crampons & Ice Axes

Sleeping bags

Special offers & sets

Accessories

Promo Material

| NAME                 | Code        | Weight (g) | Size            | Waist (cm) | Leg Loops(cm) |
|----------------------|-------------|------------|-----------------|------------|---------------|
| DYNAGO               | CTD003      | 555        |                 |            |               |
| DYNATWIST            | CTD002      | 632        |                 |            |               |
| SIGA                 | COMING SOON |            |                 |            |               |
| LANYARD Y PA FERRATA | CPY015      | 80         |                 |            |               |
| LANYARD Y PA FERRATA | CPY020      | 87         |                 |            |               |
| DYNAGO STREAK SET    | SGS001      | 1041       |                 |            |               |
| Dynago               |             | 555        |                 |            |               |
| Streak               |             | 456        | S-XL            | 75-100     | 53-66         |
|                      |             | 486        | XXL             | 75-115     | 56-69         |
| DYNATWIST STREAK SET | SDS002      | 1118       |                 |            |               |
| Dyntwist             |             | 632        |                 |            |               |
| Streak               |             | 456        | S-XL            | 75-100     | 53-66         |
|                      |             | 486        | XXL             | 75-115     | 56-69         |
| FERRATA GO SET       | SFG010      |            |                 |            |               |
| Dynago               |             | 555        |                 |            |               |
| Speedy               |             | 370        | One Size        | 57-100     | 43-71         |
| Eigh Vario           |             | 210        | One Size        |            |               |
| Ferrata Sling        |             | 5          | 20 mm           |            |               |
| FERRATA TWIST SET    | SFT001      |            |                 |            |               |
| Dyntwist             |             | 632        |                 |            |               |
| Speedy               |             | 370        | One Size        | 57-100     | 43-71         |
| Eigh Vario           |             | 210        | One Size        |            |               |
| Ferrata Sling        |             | 5          | 20 mm           |            |               |
| ROCKER               | ZSG002      | 46 (M)     | XS, S, M, L, XL |            |               |

| Colors       | Lenght (cm)     | Body Height (cm) | Norms             |
|--------------|-----------------|------------------|-------------------|
| Blue-Grey    | 50, extended 90 |                  | CE EN 958:2017    |
| Blue-Black   | 50, extended 90 |                  | CE EN 958:2017    |
| Blue-Black   | 50, extended 90 |                  | CE EN 958:2017    |
| Red          | 15              | 120 - 170        | CE EN 354, EN 795 |
| Grey         | 20              | 160 - 210        | CE EN 354, EN 795 |
| Blue-Grey    | 50, extended 90 |                  | CE EN 958:2017    |
| Blue         |                 |                  | CE EN 12277       |
|              |                 |                  | CE EN 12277       |
| Blue-Black   | 50, extended 90 |                  | CE EN 958:2017    |
| Blue         |                 |                  | CE EN 12277       |
|              |                 |                  | CE EN 12277       |
| Blue-Grey    | 50, extended 90 |                  | CE EN 958:2017    |
| Lemon-Aqua   |                 |                  | CE EN 12277       |
| Aqua-Grey    |                 |                  | CE EN 12277       |
| Black        | 150             |                  |                   |
| Black        |                 |                  |                   |
| Blue-Black   | 50, extended 90 |                  | CE EN 958:2017    |
| Lemon-Aqua   |                 |                  | CE EN 12277       |
| Aqua-Grey    |                 |                  | CE EN 12277       |
| Black        | 150             |                  |                   |
| Black - Grey |                 |                  |                   |



DYNAMIC ROPES



**TANGO 9.8** ZLH030

A rope designed for sport climbing. It has a small diameter, high abrasion resistance and long lifespan. Its low weight, higher fall rating and excellent ease of handling are all benefits to help you push your own limits.

Low weight.  
Higher number of falls.  
Excellent handling.  
Complete Shield or Standard.



**STRIKE 9.4** ZLE030

An excellent single rope with low weight, great technical parameters and a simple braiding system (SBS) of the sheath, which makes the rope not only more resistant to abrasion, but also soft and easy to manipulate. The best choice for both performance and sport climbing.

Simple knitting system, each strand is woven into the sheath separately,  
Higher abrasion resistance of the rope,  
Better mechanical properties - flexibility),

STATIC ROPES



**STATIC ROPE 10 MM** ZLS030

Heavy-duty rope with low elongation and high static strength, intended primarily for work at heights and for rescue. The thicker the diameter, the stronger the rope.



**STATIC ROPE 10.5 MM** ZLT030

Heavy-duty rope with low elongation and high static strength, intended primarily for work at heights and for rescue.



**STATIC ROPE 11 MM** ZLK030

Heavy-duty rope with low elongation and high static strength, intended primarily for work at heights and for rescue. The thicker the diameter, the stronger the rope.

| DYNAMIC ROPES | Code Standard | Code Complete Shield | Length (m) | Rope Diameter (mm) | Weight g / m | Number of UIAA Falls | Max. Impact Force (kN) | Sheath Slippage (%) | Static Elongation (%) | Dynamic Elongation (%) | Knotability | Colours | Norms     |
|---------------|---------------|----------------------|------------|--------------------|--------------|----------------------|------------------------|---------------------|-----------------------|------------------------|-------------|---------|-----------|
| STRIKE 9.4    | ZLE030        | ZLI030               | 30         | 9.4                | 58           | 6                    | 7                      | 0                   | 6.2                   | 37                     | 0.9         | Lime    | CE EN 892 |
|               | ZLE050        | ZLI050               | 50         |                    |              |                      |                        |                     |                       |                        |             |         |           |
|               | ZLE060        | ZLI060               | 60         |                    |              |                      |                        |                     |                       |                        |             |         |           |
|               | ZLE080        | ZLI080               | 80         |                    |              |                      |                        |                     |                       |                        |             |         |           |
|               | ZLE100        | ZLI100               | 100        |                    |              |                      |                        |                     |                       |                        |             |         |           |
|               | ZLE200        | ZLI200               | 200        |                    |              |                      |                        |                     |                       |                        |             |         |           |
| TANGO 9.8     | ZLH030        | ZLB030               | 30         | 9.8                | 64           | 9                    | 7.1                    | 0                   | 6.2                   | 35                     | 0.8         | Blue    | CE EN 892 |
|               | ZLH050        | ZLB050               | 50         |                    |              |                      |                        |                     |                       |                        |             |         |           |
|               | ZLH060        | ZLB060               | 60         |                    |              |                      |                        |                     |                       |                        |             |         |           |
|               | ZLH080        | ZLB080               | 80         |                    |              |                      |                        |                     |                       |                        |             |         |           |
|               | ZLH100        | ZLB100               | 100        |                    |              |                      |                        |                     |                       |                        |             |         |           |
|               | ZLH200        | ZLB200               | 200        |                    |              |                      |                        |                     |                       |                        |             |         |           |

| STATIC ROPES        | Code   | Length (m) | Rope Diameter (mm) | Weight g/49m | Number of Falls Min. | Strength (kN) | Min. Strength with Knots (kN) | Sheath Slippage (mm) | Static Elongation (50 – 150 kg) (%) | Material | Type | Colours | Norms      |
|---------------------|--------|------------|--------------------|--------------|----------------------|---------------|-------------------------------|----------------------|-------------------------------------|----------|------|---------|------------|
| STATIC ROPE 10MM    | ZLS030 | 30         | 10                 | 69           | 20                   | 31            | 17                            | 4                    | 3.4                                 | PA       | A    | White   | CE EN 1891 |
|                     | ZLS060 | 60         |                    |              |                      |               |                               |                      |                                     |          |      | Red     |            |
|                     | ZLS100 | 100        |                    |              |                      |               |                               |                      |                                     |          |      | Blue    |            |
|                     | ZLS200 | 200        |                    |              |                      |               |                               |                      |                                     |          |      | Black   |            |
| STATIC ROPE 10.5 MM | ZLT030 | 30         | 10.5               | 72           | 20                   | 32            | 18                            | 3                    | 3.4                                 | PA       | A    | White   | CE EN 1891 |
|                     | ZLT060 | 60         |                    |              |                      |               |                               |                      |                                     |          |      | Red     |            |
|                     | ZLT080 | 80         |                    |              |                      |               |                               |                      |                                     |          |      | Blue    |            |
|                     | ZLT100 | 100        |                    |              |                      |               |                               |                      |                                     |          |      | Black   |            |
| STATIC ROPE 11 MM   | ZLK030 | 30         | 11                 | 80           | 20                   | 33            | 20                            | 5                    | 3.3                                 | PA       | A    | White   | CE EN 1891 |
|                     | ZLK060 | 60         |                    |              |                      |               |                               |                      |                                     |          |      | Red     |            |
|                     | ZLK100 | 100        |                    |              |                      |               |                               |                      |                                     |          |      | Blue    |            |
|                     | ZLK200 | 200        |                    |              |                      |               |                               |                      |                                     |          |      | Black   |            |

CLIMBING SHOES



**SHOGUN** ZBS003

A simple lace shoe constructed specially for beginners and intermediate climbers. A medium soft shoe that will give comfort for a long day of climbing.

The laces allow the shoe to fit a wide variety of feet, so it is a perfect for rentals and gyms. It is suitable for indoor and outdoor climbing.



**KANREI** ZBK003

Universal shoe designed for advanced climbers. It's a perfect balance of comfort, durability, value and high performance.

It is suitable for all kinds of rock.

| SIZE CHART – CLIMBING SHOES |     |      |     |      |     |      |    |      |    |      |     |      |     |      |     |      |    |      |    |      |      |      |      |      |      |      |    |
|-----------------------------|-----|------|-----|------|-----|------|----|------|----|------|-----|------|-----|------|-----|------|----|------|----|------|------|------|------|------|------|------|----|
| EUR                         | 34  | 34.5 | 35  | 35.5 | 36  | 36.5 | 37 | 37.5 | 38 | 38.5 | 39  | 39.5 | 40  | 40.5 | 41  | 41.5 | 42 | 42.5 | 43 | 43.5 | 44   | 44.5 | 45   | 45.5 | 46   | 46.5 | 47 |
| UK                          | 1.5 | 2    | 2.5 | 3    | 3 ¼ | 3.5  | 4  | 4.5  | 5  | 5 ¼  | 5.5 | 6    | 6.5 | 7    | 7 ¼ | 7.5  | 8  | 8.5  | 9  | 9 ¼  | 9.5  | 10   | 10.5 | 11   | 11 ¼ | 11.5 | 12 |
| US                          | 2.5 | 3    | 3.5 | 4    | 4 ¼ | 4.5  | 5  | 5.5  | 6  | 6 ¼  | 6.5 | 7    | 7.5 | 8    | 8 ¼ | 8.5  | 9  | 9.5  | 10 | 10 ¼ | 10.5 | 11   | 11.5 | 12   | 12 ¼ | 12.5 | 13 |



Weight: 980 g (pair)  
Size: One size (fits 36 – 48 EU with included size bars)  
Antiboot: 185 × 138 cm  
Material: Steel and plastic  
Norms: CE EN 893

**MACHKI** ZTM001

Twelve, steel-point, ice climbing crampons with a universal binding. They are suitable for trekking, climbing and ski alpine activities. The crampons come with two extra size bars for extending the size up to 48 EU. To protect the crampons and other gear, we recommend purchase and use of the ROCK EMPIRE Crampons bag (Code: ZAM001) designed especially for storing and keeping your crampons safe.

Antiboot on the bottom of the plastic prevents snow from accumulating while walking. Plastic fastening in front and back allows quick and firm fit on any shoe and is extremely gentle on trekking boots. The strap system is sewn together with the plastic. The embossments in the front spikes make them more rigid and prevent springing for greater sense of confidence when climbing a rock.

Thanks to the flexible locking and the double size of the adjusting plate, the desired length of the climbing irons can be comfortably adjusted in the size range of 36 - 48 EU.



Weight: 1 036 g (pair)  
Size: One size (fits 36 – 48 EU with included size bars)  
Antiboot: 185 × 138 cm  
Material: Steel and plastic  
Norms: CE EN 893

**MACHKI EXPERT** ZTM002

Designed for more advanced users, the Machki EXPERT has a semi-automatic locking system with metal bars at the heel. Made to fit technical mountain boots, the crampon has twelve steel-points and comes with two extra size bars for extending each crampon up to size 48 EU. To protect the crampons and other gear, we recommend purchase and use of the ROCK EMPIRE Crampons Bag (Code: ZAM001) designed especially for storing and keeping crampons safe.

Their advantage is a semi-automatic quick-release system at the heel, which together with the front arrestment and adjusting plate of double size ensures a comfortable adjustment of the required length of climbing irons in the size range of 36 - 48 EU. The strap system is sewn together with the plastic. The embossments in the front spikes make them more rigid and prevent springing for greater sense of confidence when climbing a rock.

Antiboot on the bottom of the plastic prevents snow from accumulating while walking.



**CRAMPON BAG** ZAM001

Practical packaging for Machki, adapted for manipulation with gloves.

Zip fastening is connected by a strap, for faster and easier opening and closing (even without removing winter gloves).

Weight: 128 g  
Length: 400 mm  
Width: 150 mm  
Depth: 90 mm



**CHACKAN** ZTC001

Light weight ice axe for trekking and mountaineering. Leash attached. Additional leashes (ZOC001) can be purchased separately. Classic ice ax for mountaineering.

Weight: 440 g (60 cm)  
Length: 55, 60, 65 cm  
Handle: AL 7075  
Head: Steel  
Type: B  
Norms: CE EN 13089



**CHACKAN SKI** ZTC002

New, lightweight tourist ice axe with an ergonomic curve for a wide range of applications. Leash attached. Additional leashes (ZOC001) can be purchased separately. Three handle lengths. Classic ice ax for VHT and mountaineering.

Weight: 438 g (60 cm)  
Length: 55, 60, 65 cm  
Handle: AL 7075  
Head: Steel  
Type: B  
Norms: CE EN 13089



**GAITERS** ZAM002

Leg protectors made of durable material. Protectors are fitted with an easy to use front zipper with a cover and hook. Protectors prevent penetration of snow and wetness from below the knee and cover the top of a boot. They are ideal for summer mountain trips and an excellent protection against mud, dirt and snow. Compared to conventional gaiters, ours have a hypalon strap. The material is noted for its strength and durability. It is designed to withstand the sharp points of crampons.

Shoe size: S 36 – 39 (EU), M 40 – 43 (EU), L (44 – 47 (EU)  
Weight: 220 g (pair)  
Colour: Black, Dark grey  
Material: 450D PES Ripstop, PU Coating







MONTANA

ZCM002

Montana –17 is the warmest sleeping bag from the Rock Empire® line. This icebreaker is not very compact, but on the other hand it provides excellent thermal comfort even during long-term stays in frozen and humid conditions. The three-layered synthetic insulation comprised of THERMOLITE® hollow fibers is characterised by a high loft and durability, maintaining its original thermoinsulating properties for a long time. At the same time, the sleeping bag is relatively light and shrinks in its compression bag.

Montana –17 is fitted with a YKK zipper, known around the world as the highest quality zippers. So you can be sure a broken zip won't leave you in the cold. The upper material of the sleeping bag has a ripstop finish to increase mechanical resistance and is enhanced with a water-repellent treatment.

- Great thermal comfort.
- Two-way YKK zipper with fluorescent cord stopper and insulated facing.
- Insulated inside cuff with pocket.
- Ability to join two sleeping bags.
- Water-repellent upper material.
- Easy to maintain, quick to dry.

Filling: THERMOLITE QUALLO 180g/m2 x 3  
Outside material: Polyester 68D 210T Diamond + W/R + Double Cire  
Inner material: Polyester 75D 210T Pongee



CYKLOTOUR

ZCC001

Rock Empire Cyklotour–2 is a three-season sleeping bag with excellent technical parameters at a reasonable price. The synthetic insulation comprised of THERMOLITE® hollow fibres is characterised by a high loft and durability, maintaining its original thermoinsulating properties for a long time. At the same time, the sleeping bag is light and shrinks significantly in its compression bag. This makes it easy to fit into smaller backpacks. Cyklo-tour–2 is fitted with a YKK zipper, known around the world as the highest quality zippers. So you can be sure a broken zip won't leave you in the cold. The zipper also runs through the bottom of the sleeping bag, allowing you to fully unzip it and use it as a blanket. If required, you can join two sleeping bags together by zipping up opposite guards.

The upper material of the sleeping bag has a ripstop finish to increase mechanical resistance and is enhanced with a water-repellent treatment.

- Three-season use while maintaining compact dimensions and reduced weight.
- YKK two-way zipper with fluorescent cord stopper and insulated facing along the whole length.
- Allows 2 sleeping bags to be zipped together or to be fully unzipped for use as a blanket.
- Ultralight compression bag.
- Insulated inside cuff with pocket.
- Water-repellent treatment.
- Material is pleasant to the touch.
- Easy to maintain and quick to dry.

Filling: Thermolite Quallo 200 g/m2 x1  
Outside material: Nylon 44D 260T Tactel Ripstop W/R+ double cire  
Inner material: Polyester 50D 300T



BIKE

ZCK002

Rock Empire Bike +2 is an ultralight and compact sleeping bag for warm summer nights or indoor use. The synthetic insulation comprised of THERMOLITE® hollow fibres is characterised by a high loft and durability, maintaining its original thermoinsulating properties for a long time. At the same time, the sleeping bag is light and shrinks significantly in its compression bag. This makes it easy to fit into even smaller backpacks or baggage.

Bike +2 is fitted with a YKK zipper, known around the world as the highest quality zippers. So you can be sure a broken zip won't leave you in the cold. The zipper also runs through the bottom of the sleeping bag, allowing you to fully unzip it and use it as a blanket. If required, you can join two sleeping bags together by zipping up opposite guards.

Filling: Thermolite Quallo 125g/m2x1  
Outside material: Polyester 68D 210T Diamond + W/R + Double Cire  
Inner material: Polyester 75D 210T Pongee



ARKTIDA

ZCA001

A comfortable sleeping bag, the Arktida Rock Empire is primarily intended for use under cold and wet conditions. The synthetic insulation comprised of THERMOLITE® hollow fibers is characterised by a high loft and durability, maintaining its original thermoinsulating properties for a long time. At the same time, the sleeping bag is light and shrinks significantly in its compression bag. This makes it easy to fit into medium-sized back-packs.

Arktida is fitted with a YKK zipper, known around the world as the highest quality zippers. So you can be sure a broken zip won't leave you in the cold. The zipper also runs through the bottom of the sleeping bag, allowing you to fully unzip it and use it as a blanket. If required, you can join two sleeping bags together by zipping up opposite guards. The upper material of the sleeping bag has a ripstop finish to increase mechanical resistance and is enhanced with a water-repellent treatment.

- Thermal comfort.
- YKK two-way zipper with fluorescent cord stopper and insulated facing along the whole length allows 2 sleeping bags to be zipped together or to be fully unzipped for use as a blanket.
- Ultralight compression bag.
- Insulated inside cuff with pocket.
- Water-repellent treatment.
- Material is pleasant to the touch.
- Easy to maintain and quick to dry.

Filling: Thermolite Quallo 160 g/m2 x 2  
Outside material: 44D 260T Nylon Tactel Ripstop W/R Double Cire  
Inner material: 44D 237T Nylon Tactel Taffeta W/R Cire



ARKTIDA LADY

ZCA009

A comfortable sleeping bag, the Arktida–9 Lady Rock Empire is primarily intended for use under cold and wet conditions. The sleeping bag has an extra layer of insulation at the feet to increase your thermal comfort. The synthetic insulation comprised of THERMOLITE® hollow fibres is characterised by a high loft and durability, maintaining its original thermoinsulating properties for a long time. At the same time, the sleeping bag is light and shrinks significantly in its compression bag. This makes it easy to fit into medium-sized backpacks.

Arktida–9 Lady is fitted with a YKK zipper, known around the world as the highest quality zippers. So you can be sure a broken zip won't leave you in the cold. The zipper also runs through the bottom of the sleeping bag, allowing you to fully unzip it and use it as a blanket. If required, you can join two sleeping bags together by zipping up opposite guards.

The upper material of the sleeping bag has a ripstop finish to increase mechanical resistance and is enhanced with a water-repellent treatment.

- Thermal comfort.
- Extra insulation in the feet area.
- YKK two-way zipper with fluorescent cord stopper and insulated facing along the whole length.
- Allows 2 sleeping bags to be zipped together or to be fully unzipped for use as a blanket.
- Ultralight compression bag.
- Insulated inside cuff with pocket.
- Water-repellent treatment.
- Material is pleasant to the touch.
- Easy to maintain and quick to dry.

Filling: Thermolite Quallo 160 g/m2 x 2  
Outside material: 44D 260T Nylon Tactel Ripstop W/R Double Cire  
Inner material: Polyester 75D 210T Pongee

| SLEEPING BAGS | Code   | Temperatures °C<br>Comfort / Limit /<br>Extreme | Size    | Parameters<br>(cm) | Weight<br>(g) | Cover<br>(cm) | Zipper       | Norms       |
|---------------|--------|---|---------|--------------------|---------------|---------------|--------------|-------------|
| MONTANA       | ZCM002 | -10 / -17 / -38                                 | Regular | 205×80×50          | 2435          | 51×28         | Left / Right | CE EN 13537 |
|               | ZCM003 |   | Long    | 230×80×50          | 2550          | 56×32         |              |             |
| ARKTIDA       | ZCA001 | -3 / -9 / -28                                   | Small   | 195×75×48          | 1400          | 43×20         | Left         | CE EN 13537 |
|               | ZCA002 |   | Regular | 205×80×50          | 1502          | 46×24         | Left / Right |             |
|               | ZCA003 |   | Long    | 230×80×50          | 1960          | 46×26         |              |             |
| ARKTIDA LADY  | ZCA009 | -3 / -9 / -28                                   | Small   | 190×75×48          | 1675          | 45x21         | Left / Right | CE EN 13537 |
|               | ZCA010 |   | Regular | 200×80×50          | 1778          | 46x24         | Left / Right |             |
| BIKE          | ZCK002 | +7 / -2 / -13                                   | Regular | 220×80×50          | 1035          | 42×18         | Left / Right | CE EN 13537 |
| CYKLOTOUR     | ZCC001 | +4 / -2 / -18                                   | Small   | 195×75×48          | 1240          | 41×18         | Left         | CE EN 13537 |
|               | ZCC002 |   | Regular | 205×80×50          | 1290          | 43×19         | Left / Right |             |
|               | ZCC003 |   | Long    | 230×80×50          | 1460          | 43×20         |              |             |

Harnesses

Carabiners &  
Belays

Express & Open  
Slings

Cams &  
Stoppers

Helmets &  
Via Ferrata

Ropes

Climbing shoes

Crampons &  
Ice Axes


Sleeping  
bags

Special offers &  
sets

Accessories

Promo  
Material


CLIMBING SETS




**STREAK SMU SET**

SUS110

Streak SMU is a fully adjustable, comfortable climbing harness with a uni size. Guard SB safety device suitable for both walls and rocks and 2Tap carabiner with screw lock and fixing bar. In addition, you can choose what color of belay you want.





**CLIMBING SET BASIC**

SUS109

Climbing set Basic contains everything necessary for climbing expedition.

Fully adjustable, comfortable Streak harness.

Universal guard suitable for rope diameter 7.8 - 11 mm or eight for rope diameter 9 - 11 mm.

Screw HMS carabiner.



**CLIMBING SET PREMIUM**

SUS108

Climbing set Premium contains everything necessary for climbing expedition.


Fully adjustable, comfortable Streak harness.

Chalk bag and Magnesium ball.

Universal guard suitable for rope diameter 7.8 - 11 mm or eight for rope diameter 9 - 11 mm. \*color may vary

Screw HMS carabiner.

BELAY SETS



**BELAY SET GYM**


SRB007

Belay Set Gym contains:

An ultra-light, aluminum device for belaying Gym, designed for use in climbing gyms.

Twist-lock carabiner HMS Magnum 2T.

Belay Set Guard is for indoor use.



**BELAY SET GUARD II**


SRB006

Belay Set Guard II contains:

HMS Magnum Screw.

Guard II for ropes with a diameter of 7.8-11 mm.

Guard II is a universal, multi-featured aluminum device for belaying and rappelling.



**BELAY SET EIGHT**

SRB004


Outdoor set for belaying and abseiling.

Eight is belay and rappelling device that is made from hot forged Al-alloy of high durability.

HMS Magnum S carabiner.

Eight for ropes with a diameter of 9-11 mm.

\*color may vary



**BELAY SET GUARD SB**

SRB008

We have combined our best-selling 2Tap carabiner with the new Guard SB and offer it as a set for the most common use.

Guard SB is a new universal belay device suitable for belaying and rappelling on rocks. The belay device has an extended life thanks to the stainless steel bar, which the ropes go over. The belay device works best with ropes from 8,7 to 11 mm in diameter. You can choose from six color variations.

Color variation:

2Tap lime + Guard SB lime or aqua or grey

2Tap aqua + Guard SB lime or aqua or grey

| SETS                 | Code   | Weight (g) |
|----------------------|--------|------------|
| STREAK SMU SET       | SUS110 | 547        |
| CLIMBING SET BASIC   | SUS109 | 558        |
| CLIMBING SET PREMIUM | SUS108 | 681        |
| BELAY SET GYM        | SRB007 | 150        |
| BELAY SET GUARD II   | SRB006 | 152        |
| BELAY SET EIGHT      | SRB004 | 194        |
| BELAX SET GUARD SB   | SRB008 | 156        |





BAGS



BEETLE BAG II

CSL004

A simple, durable backpack for rock and sport climbers, which is the ideal compromise between a robust pull bag and rock bag. It offers a completely removable back piece, which is always on the top of the backpack during use, so it will prevent your clothes from getting dusty.

At first glance, it looks like a compact bag but it has capacity for an 80 to 100m rope plus a generous amount of climbing equipment for sport climbs (for example, two pairs of climbing shoes, a harness, a set of quick draws, belay device, snacks, a climbing guide and some clothes). The backpack contains two inner loops and one outer loop, so material can be better organized and quickly found.

Two tiny loops inside are included for tying the rope ends. For keep track of small items, there are two inner pockets. On the outside of the bag, there is a large outer pocket, easily accessible and includes a keyhole. The spacious pocket in the lid is suitable for clothing. The outer pocket in the lid has a removable seat made of pleasant PE foam. And, of course, the backpack straps are well padded and comfortable. Thanks to a stable construction and a large opening, the rope can be used directly from the backpack. Just drag and drop the rope straight in. This makes it unnecessary to use a tarp for a rope. The basic idea is that the rope is on the bottom and the other things on top. During use, the only item in the bag is the rope; the other items are being actively used or lay on the removable back piece nearby.

Material: PES, PAD, YKK zip  
Weight: 836g



NORA

CSL002

A simple, light and modern rope bag that can easily hold a rope up to 100m. Thanks to the placement of the bag in the middle of the tarp, the rope can be quickly packed by pulling up the 4 corner straps on the tarp. The rope ends can also be tied the corner straps, which have different colours.

The rope can be unpacked quickly using the strap at the bottom of the bag. The bag closes by rolling down the opening and fastening it closed with an aluminium buckle.

Includes an attached 140×20 cm tarp.  
2 smaller handles for carrying between routes.  
Shoulder strap for carrying over longer distances.  
Available in two colors.

Material: PES, PAD  
Weight: 450 g



HUGO PLUS

VSL003

A comfortable rope backpack for carrying all your climbing gear. Including larger tarp with 4 corner loops to facilitate packing and handling of the tarp.

Includes an attached 150×125 cm tarp.  
Fresh design with new colors matching our other products and accessories.  
Lower weight due to use of lighter weight buckles and non-padded straps.  
Rope length: max. 100m  
Available in two colors.

Material: PES, PAD  
Weight: 498 g



CARGO

CWV035

Carry bag backpack used to carry loads.

Lightweight, waterproof material.  
Adjustable shoulder straps.  
Two handles for easy carrying and lifting.  
Drawstring for closing.  
Drain hole in the bottom of the bag for easy drainage of water.  
Long strap for hanging. Available in two sizes 35 and 55 liters.

Material: Polymer  
Weight: 350 and 450g

| Code   | Size |
|--------|------|
| CWV035 | 35 l |
| CWV055 | 55 l |



CARGO ROLL

CVR055

An improved carry bag that comfortable enables you to carry your load on your back.

The bag closes by rolling down the opening and fastening it closed with a light-weight aluminium buckle. Waterproof and lightweight material. Two loops for easy carrying  
Adjustable shoulder strap  
One long strap for hauling  
One size 55 l

Material: Polymer  
Weight: 805g



WEIGHT BAG

VWV008

Bag for adding weight when belaying heavier person for use on climbing walls (to be filled by user).

Adjustable length.  
Hanging carabiner.  
Methodological label.  
Reinforced stable base.  
Delivered without filling.

Max. fill weight: 25 kg  
Weight: 1528 g

CHALK BAGS



CHALK BAG CLOUD

VSC017

New Chalk bag with unique printing design.

Fleece lining inside.  
Elastic brush holder for more comfort when cleaning holds.  
Double loops for stable attachment to the waist belt.

Size: 16 x 12 cm  
Weight: 81 g



CHALK BAG POWDER

VSC016

New Chalk bag with unique printing design.

Fleece lining inside.  
Elastic brush holder for more comfort when cleaning holds.  
Double loops for stable attachment to the waist belt.

Size: 16 x 12 cm  
Weight: 81 g

Harnesses

Carabiners & Belays

Express & Open Slings

Cams & Stoppers

Helmets & Via Ferrata

Ropes

Climbing shoes

Crampons & Ice Axes

Sleeping bags

Special offers & sets

Accessories

Promo Material



**CHALK BAG OWL** VSC015

New Chalk bag with unique printing design.

Fleece lining inside.  
Elastic brush holder for more comfort when cleaning holds.  
Double loops for stable attachment to the waist belt.

Size: 16 x 12 cm  
Weight: 81g



**CHALK BAG HOPI KID** VSC011

Children's bag for magnesium color coordinated with Hopi harness for your little ones.  
Inner material fleece.  
Equipped with a practical brush holder loop.

Weight: 68g  
Size: 14 x 10 cm



**CHALK BAG BASIC SLIGHT** VSC014

New Chalk Bag with simple design and in colors fits with our harnesses Slight

Inner material fleece. Equipped with a practical brush holder loop. Different color loops with a matching Chalk Belt.  
Chalk Belt is 10 mm wide with a quick release buckle and is a part of the new Chalk Bags.

Size: 16 x 12 cm  
Weight: 86g



**X-BAG** VSC005

Large chalk bags ideal for bouldering, perfect velcro closing.  
Velcro closure system prevents spillage of magnesium in the backpack.  
Available in two colors.

Size: 25 x 20 cm  
Weight: 312g



**CHALK BAG BASIC** VSC013

New Chalk Bag with simple design and in colors fits with our harnesses Slight

Inner material fleece. Equipped with a practical brush holder loop. Different color loops with a matching Chalk Belt.  
Chalk Belt is 10 mm wide with a quick release buckle and is a part of the new Chalk Bags.

Size: 16 x 12 cm  
Weight: 86g



**CHALK BAG ARCO BLACK** VSC002

Chalk Bag for lovers of black color.

Inner material fleece.  
Equipped with a practical brush holder loop.

Weight: 88g  
Size: 16 x 12 cm



**CHALK BAG STREAK** VSC012

Chalk Bag in bright blue color coordinated with Slight harnesses.  
Inner material fleece.  
Equipped with a practical brush holder loop.

Weight: 80g  
Size: 17 x 12 cm

**MAGNESIUM**



**MAGNESIUM CRUSH** ZSM001

Quality magnesium in larger bag.

Suitable for use in rocks and climbing walls.

Weight: 300g



**MAGNESIUM BALL** ZSM004

High-quality magnesium filled into a textile wrap in the shape of a ball.

The magnesium remains enclosed in a flexible breathable ball that is inserted directly into the magnesium bag.

Suitable for use in rocks and climbing walls.

Weight: 35g



**MAGNESIUM BALL REFFILABLE** ZSM007

Quality magnesium in a re-fillable and re-useable cloth bag.

Suitable for use in rocks and climbing walls.  
Thanks to the tightening closure can be refilled.

Weight: 40g





**MAGNESIUM CONTAINER** ZSM006

100 grams of high-quality magnesium in a screw box.

Suitable for use in rocks and climbing walls.

Weight: 100g



**MAGNESIUM CUBE** ZSM005

Quality magnesium.

Suitable for use in rocks and climbing walls.

Weight: 56g



**MAGNESIUM LIQUID** ZSM008

This quality liquid magnesium is designed for climbing on rock, indoor climbing and boulders.

It has a low alcohol content and is gentle on your skin.

Volume: 200 ml  
Weight: 192g

OTHERS



**SLACK LINE** CSS011

The Rock Empire Slack Line is designed for both beginner and advanced slack line users. The strap is made of polyester with a width of 25 mm. The slack line is easy to clamp between trees or two other stable points and the tension is adjustable with a ratchet.

For low-height slack line – maximum anchoring point height: 1 m

Recommended for:  
External use  
Two anchoring straps included  
A strap with a reinforced stitching for the ratchet  
Contents of package: 1 ratchet, 2 anchoring straps, the slack line

Material: Polyester  
Carrying capacity: 250 kg  
Length: 10 or 20 m (CSS020)  
Width: 25 mm  
Weight: 1259.8g 10 m, 1620 g 20 m



**BRUSH STRAIGHT** ZSB005

A brush that will reliably clean the chalk and dust off your climbing holds.

Long-term, durable materials.  
Does not damage holds or rocks.  
Boar's hair bristles can clean holds or rocks without damage, and are also great at absorbing moisture or oils.  
Hardy and flexible for difficult-to-reach spots.  
The handle has a hole for a string or strap.  
Great for indoor and outdoor climbing.

Grip: Plastic  
Material: Wild boar hair bristles  
Dimension: 18 cm length x 1 cm head  
Weight: 35.2g



**BRUSH CURVED** ZSB004

A brush with an average-sized head. Reliably cleans chalk and dust off holds.

Long-term, durable materials.  
Does not damage holds or rocks.  
Boar's hair bristles can clean holds or rocks without damage, and are also great at absorbing moisture or oils.  
Hardy and flexible for difficult-to-reach spots.  
The handle has a hole for a string or strap.  
Great for indoor and outdoor climbing.

Grip: Plastic  
Material: Wild boar hair bristles  
Dimension: 18 cm length x 3 cm head at the widest point  
Weight: 29.2g



**TOOL SLING** VWT002

Auxiliary elastic loop.  
The Tool Sling is useful for carrying small tools, utensils, etc.  
The elastic strap has loops sewn into both ends; the blue lower section that holds the tools includes a plastic tightener.

Maximum load is 3 kg, when tied using a cow hitch the weight is halved.  
The elastic strap is 13 mm wide.

Length: 80 cm, max. length after extending 135 cm  
Strap width: 13 mm  
Maximum load: 3 kg  
Weight: 33.2g

**LADDER** CSL001

A helpful textile product for technical climbing. 5 re-inforced loops make it easy to use and get where you want. For body weight only.

Available in two colors, red and black.  
The ladder excels in lightness, user-friendliness and durable construction.  
The ladder has a fixed eye at the top of the ladder axis, suitable for: fixation at the desired position; connecting the load to stabilize the ladder in windy conditions; pulling bag etc.  
The ladder eye is equipped with a loop suitable for storing the hardware used etc.  
It can also be used as a ladder extension loop (160 cm) in the short term.

Length: 140 cm  
Max. load weight: 500kg  
Weight: 209g  
Available in two colors, orange and black.



**CLIMBING TAPE** ZST006

White climbing tape designed to protect climber's fingers. Offers a strong, non-allergenic adhesive that will not leave residue on your fingers.

Textile static material does not restrict blood circulation.  
Suitable for use in rocks and climbing walls.

Width: 25 mm  
Length: 10 m  
Weight: 42g

Harnesses

Carabiners & Belays

Express & Open Slings

Cams & Stoppers

Helmets & Via Ferrata

Ropes

Climbing shoes

Crampons & Ice Axes

Sleeping bags

Special offers & sets

Accessories

Promo Material





**ANCHOR CHAIN**

ZRN001

For climbing walls.  
A stainless steel chain complete with two opposing carabiners and two galvanized bolts hangers.

Fixing hole diameter: 10 mm  
Weight: 710g  
Strength: 25 kN  
Material: Stainless steel (304)  
Norm: EN 959, EN 12275



**HANGER W**

ZRB017

Stainless steel anchoring hanger suitable for indoor and outdoor use. Can be used in combination with bonded and tension anchors. Strong, quality material ensures a long lifetime of these anchoring hangers.  
Certified as anchor bolt (EN 959) and anchor device (EN 795) suitable for protection against falls from a height.

Strength: 26 kN  
Fixing hole diameter: 12 mm  
Material: Stainless steel  
Norm: EN 959, EN 795.B  
Weight: 47.4g



**HANGER C**

ZRB015

Plaque made of galvanized steel suitable for artificial walls.  
The solid steel core and the corrosion-resistant zinc surface ensure the long life of the anchor plaque. Fixed anchor point.

Strength: 25 kN  
Fixing hole diameter: 10 mm  
Material: Galvanized steel  
Norm: EN 959, EN 795  
Weight: 60g



**ANTI SLIP 12 PACK**

SEA010

Multifunctional rubber protector for work harnesses and lanyards.  
Anti Slip fixes the carabiner or clutch in the correct position and protects the rope.

| Code   | Model             | Size  |
|--------|-------------------|-------|
| SEA010 | Anti Slip R.E. 10 | 10 mm |
| SEA013 | Anti Slip R.E. 13 | 13 mm |
| SEA016 | Anti Slip R.E. 16 | 16 mm |
| SEA022 | Anti Slip R.E. 22 | 22 mm |







**KEY RING BRASS**

ZPK001

Keyring in the shape of an eccentric friend in bold colors, everyone knows where your heart is going.

The right keyring item, thanks to this pendant you will always know your bunch of keys.  
Original decoration of your car keys.

Weight: 14g



**KEY RING ALU**

ZPK002

Keyring in a wedge-shaped shape in bold colors, everyone knows where your heart is going.

The right keyring item, thanks to this pendant you will always know your bunch of keys.  
Original decoration of your car keys.

Weight: 10 g



**KEY RING CAM**

ZPK003

Keyring in the shape of an eccentric friend in bold colors, everyone knows where your heart is going.

The right keyring item, thanks to this pendant you will always know your bunch of keys.  
Original decoration of your car keys.

Weight: 6,2 g



**KEY RING**

VPK001

Loop-shaped keyring in bold colors, everyone knows where your heart is going.

Material: Dyneema harness with metal key ring

The right keyring item, thanks to this pendant you will always know your bunch of keys.  
Original decoration of your car keys.  
Alternatively, you can use it instead of a torn zip fastener on your jacket or backpack.

Weight: 10 g



**PROMO CARABINER**

ZPK007

Aluminum carabiner as a key ring.

The carabiner is not suitable for mountaineering.  
Available in five colors.

Dimension: 6 x 3 cm  
Weight: 90g  
Material: Aluminium



**QB BELT**

VSB003

Are your pants falling? Rock Empire belt will help you with it :)

Connectable with Work Bag.

Weight: 76 g

**SILVER EARRINGS**

Antiqued or sterling silver.

Material: Sterling Silver – Ag 925 / 1000



Cam



Quickdraw



Carabiner



Piton



Eight



Rope Knot



Hanger



Spiral

| Code   | Silver Earrings |
|--------|-----------------|
| ZPJ003 | Cam             |
| ZPJ002 | Quickdraw       |
| ZPJ001 | Carabiner       |
| ZPJ006 | Piton           |
| ZPJ004 | Eight           |
| ZPJ005 | Rope Knot       |
| ZPJ007 | Hanger          |
| ZPJ019 | Spiral          |



Cam



Quickdraw



Carabiner




Piton



Eight



Rope Knot



Hanger



Spiral

**SILVER CHARMS**

Antiqued or sterling silver.

Material: Sterling Silver – Ag 925 / 1000

| Code   | Silver Charm |
|--------|--------------|
| ZPJ014 | Cam          |
| ZPJ013 | Quickdraw    |
| ZPJ012 | Carabiner    |
| ZPJ017 | Piton        |
| ZPJ015 | Eight        |
| ZPJ016 | Rope Knot    |
| ZPJ008 | Necklace     |
| ZPJ020 | Spiral       |

Harnesses

Carabiners & Belays

Express & Open Slings

Cams & Stoppers

Helmets & Via Ferrata

Ropes

Climbing shoes

Crampons & Ice Axes

Sleeping bags

Special offers & sets

Accessories

Promo Material

**ALBANIA**

JEZERCA Outdoor and Sports  
Rr Ibrahim Rugova, përballë  
kompleksit Taiwan  
Phone: +35545800026  
info@kubisports.com  
www.jezerca.al

**AUSTRALIA**

EXPEDITION EQUIPMENT  
Unit 33, 28 Barcoo Street  
Roseville NSW 2069  
Phone: +61 2 9417 5755  
Fax: +61 2 9417 5722  
sales@expeditionequipment.com.au

**AUSTRIA**

Agentur Condor  
Haselsteiner Thomas  
Schwarzenbach 14  
3342 Opponitz  
berg.condor@speed.at  
Phone: +43 7444 / 22212

**BRAZIL**

M. ARNAUD & CIA LTDA  
Rua Alfredo Maluf 66, Centro, CEP  
13450-227 Santa Barbara d’Oeste-  
SP  
Phone: +55-11-46 32 86 88  
Fax: +55-11-40 33 86 87  
contato@m-arnaud.com.br  
www.m-arnaud.com.br

**BULGARIA**

STENATA 1997 EOOD  
STAMBOLIISKI 20-V BLVD. SOFIA  
Phone: +359-2-98 90 538  
FAX: +359-2-98 03 200  
WWW.STENATA.COM  
info@stenata.com

**CHILE**

ChileMontana  
Carlos XII No.120, local E, Las  
Condes, Santiago  
tel: +56 23340 4828  
web: www.chilemontana.cl

**CHINA**

G-VIEW ADVENTURE EQUIPMENT  
CO.  
Room 1806, Unit 2, Building 3,  
ZHU JIANG MO ER INT. CENTER  
Bei Qing Road No. 1,  
Chang Ping District  
Beijing, 102206  
Phone: 0086-10-6836 5520, 0086-  
10-6836 5520  
Fax: 0086-10-6836 5520

**CHINA**

Probel(TianJin)Safety Technology Co.,Ltd.  
NO. 1203 UNIT 3 BUILDING 9 YIJING  
APARTMENT  
TIANJIN PILOT FREE TRADE ZONE  
(AIRPORT ECONOMIC ZONE)  
tel: 022-58653746  
www.probel.cn

**CROATIA**

BIM SPORT d.o.o.  
Slavonska 1  
42000 Varaždin  
Phone: 00385 42 302 176  
www.bimsport.com  
info@bimsport.com

**CZECH REPUBLIC / SLOVAKIA**

HUDYSPORT A.S.  
405 02 Bynovec 138  
Czech Republic  
Phone: +420 412 511 952  
Fax: +420 412 511 955  
info@hudy.cz  
www.hudy.cz

**DENMARK**

FJELD & FRITID  
Frederiksborggade 28  
DK- 1360 Kobenhavn K  
Phone: +45-33-11 22 71  
ski@fjeld-fritid.dk

**DOMINICAN REPUBLIC**

GIORDANNO DE PEÑA / GDPC  
Av. Luperón No.4  
Zona Industrial Herrera  
Santo Domingo, DN  
Phone: 809-604-5383  
gdpcrespo@gmail.com

**ECUADOR**

Unisport  
RUC:1001646817001  
Cajas 1-117 Y Los Andes  
CUENCA  
+593 7 2 863709  
johnsichel@yahoo.es

**ESTONIA**

MATKAMAAILM  
Jaama 12  
Tallin 11621  
Phone: +372 6701 231  
info@matkamaailm.ee  
www.matkamaailm.ee

**FINLAND**

Extreme Sports Finland Oy  
Raitalankatu 20  
24260 Salo  
Phone: +358 50 302 6806  
pekka.saarinen@extremesports.fi

**FRANCE**

TERRE INFINIE  
37 Rue du Château  
06640 Saint-Jeannet  
Phone: +33980900433  
Phone: +33674584921  
terreinfinie@laposte.net

**GEORGIA**

MOGZAURI LTD.  
193 Nutsbidze str.  
0186 Tbilisi  
Phone: + 995 599 547500  
Mob.: +995 595 565565  
info@mogzauri.ge  
www.mogzauri.ge

**GERMANY**

FRANTIC SPORTS  
Milan Franek  
Am Gruberfeld 6a  
D-86456 Gablingen  
Phone: +49(0) 8230 2823  
Handy: +49(0) 172 8229700  
info@frantic.de  
www.franticsports.de

**GERMANY**

GEAR UP  
Hannberger Weg 35  
91091 Großenseebach  
Phone: 0049 (0)9135 / 7361167  
Fax: 0049 (0)9135 / 7361161  
info@rockempireplanet.de  
www.rockempireplanet.de

**GERMANY**

Sales Representative  
Joachim Kraft  
Phone: +49 (0) 7664 | 96 24 77  
Mobil. +49 (0) 176 | 2206 61 46  
joachim.kraft@iceagle.com

**GREECE / CYPRUS**

POLO S.A.  
62 Zisimopoulou Str.  
175 64 Palaio Faliro – Athens  
Phone: +30 210 942 8200  
Fax: +30 210 943 0188  
sales@polo.gr  
www.polo.gr

**HONG KONG**

RC OUTFITTERS  
9C Dragon Industrial Bldg.  
93 King Lam Street  
Cheung Sha Wan, Kowloon  
Phone: +852 2390 0762  
Fax: +852 2390 0691  
admin@alink.com.hk

**HUNGARY**

MOUNTEX  
Rózsa utca 16  
2000 Szentendre  
Phone: +3626 / 501-220  
Fax.: +3626 / 501-221  
mountex@mountex.hu  
www.mountex.hu

**ICELAND**

GG Sport  
Smidjuvegur 8  
200 Kopavogur  
Phone: +354 6607560  
leifur@ggsport.is

**ICELAND**

ISLENSKU ALPARNIR –  
PROSPORT EHF.  
Faxafen 12  
Reykjavik 108  
Phone: +354 534 2727  
alparnir@alparnir.is  
www.alparnir.is

**INDIA**

AVI INDUSTRIES  
13, Shriji Sadan  
Chandavarkar Rd  
Matunga (E), Mumbai  
Maharashtra – 400 019  
Phone: +91 22 241 03 810, +91  
86 550 79 787  
avinashkamath@gmail.com  
www.aviindustries.com

**IRAN**

PISHGAMANNEJAT ELEYA  
2nd Fl, No.45, 19th Bahman Alley  
Golestan 35 Meter Build.  
Tehran  
Phone: +9821 44 602 780  
info@pishgamennejat.com

**ISRAEL**

Alpine Style Entrepreneurship, Ltd.  
91, Hahasmonaim Street  
Tel-Aviv  
Phone: +972-(0)72-250-50-44  
Fax: +972-(0)72-250-50-66  
www.alpinestyle.co.il

**ITALY**

FANCESCO REPETTO & C. SNC  
VIA G. MURTOLA 19/H/R  
16157 Genova Pra  
Phone: 010-6197490  
acquisti@repettosport.it

**ITALY**

ROCK & ICE S.R.L.  
Via Segantini 120  
38062 Arco TN  
Phone: +39 0464 519 668  
office@climbingarco.it

**JAPAN**

MAGIC MOUNTAIN CO., LTD.  
2-8-5 Nobidome  
352-0011 Niiza City, Saitama  
Phone: +81-48-480 0088  
Fax: +81-48-480 0089  
info@magic-mountain.jp  
www.magic-mountain.jp

**KAZAKHSTAN**

VERTICAL  
trade house “GARANT AUTOCITY”  
Prospekt Bogenbay Batyr 73 /  
1,boutique 334  
Astana  
Phone: +7 (7172)779187, +7  
(7172) 629772  
Mob.: +7 7017313769, +7  
7017307871  
Skype: vertical.kz  
vertical.kz@yandex.kz  
www.vertical.kz

**LATVIA**

VESSPO  
Brivibas Str.155  
LV-1012 RIGA  
Phone: +37167360330  
Fax: +37167378427  
vesspo@vesspo.lv  
www.celotajs.com

**LITHUANIA**

UAB Traversas  
Jonavos g 260, Kaunas  
LT-44131  
Phone:. +370 683 82 441  
linas@traversas.lt  
www.traversas.lt

**MACEDONIA**

Madal Bal DOOEL  
bul. Vojvodina 41000 Skopje  
Phone: +389 02 6147644  
www.outdoor.mk  
info@outdoor.mk

**MALTA**

SURPLUS & ADVENTURE  
Main Street Mosta  
Tel. / Fax.: 00356 21420454  
Mob.: 00356 99460046  
info@surplusadventure.com  
www.surplusadventure.com

**MEXICO**

La Gran Montana  
Av. Hidalgo 1111  
Centro, Oaxaca, Oax. CP 68000  
tel: +951 5161392  
email: tienda@lagranmontana.com

**MEXICO**

MR Climbing sa de cv / Exposure  
Industria y Montana  
Novena avenida 934 cumbres 2  
sector  
Monterrey Nuevo Leon 64610  
tel: (+52 81) 81233278  
www.exposure.mx

**MONGOLIA**

Skyprofessional Trade LLC  
#302, Gerege Tower,  
Chinggis Avenue 17  
Sukhbaatar dictrict, 1st khoroo  
14251 Ulaanbaatar

**NEPAL**

RedFox Outdoor Nepal  
Tridevi Marg  
Kathmandu  
Phone:+ 977-9851096286  
mgelusherpa@yahoo.com

**NETHERLANDS**

Ch. O. A. van der Valk b.v.  
h/o Het Touwhuis  
Goudsesingel 85  
3031 EE Rotterdam  
Tel.: 0031 (0)10 411 18 15  
Fax: 0031 (0)10 411 18 16  
Mail: info@touwhuis.nl  
Web: WWW.TOUWHUIS.NL

**NEW ZEALAND**

OMS  
24a Albert St, PO Box 117  
Rangiora  
Phone: +64033106401  
Fax: +64033106402  
office@oms.co.nz  
www.oms.co.nz

**NORWAY**

CRAG AS  
Biermanns gate 9  
0473 Oslo  
Phone: 0047 95917451  
oliver.sunde@gmail.com

**PERU**

SUATRANS PERU  
Prolongacion Huaylas, Km. 21.3  
Chorrillos, Lima  
Phone: + 51 1 616 2828  
ventasperu@suatrans.com

**POLAND**

NAMASTE  
Grudzieniec 12  
60601 Poznan  
Phone: + 48 618 411 533  
www.namaste.pl  
www.rockempire.pl

**PORTUGAL**

ALTTE LDA  
Rua Ferreira de Lemos 238  
4780-468 Santo Tirso  
Phone: +351 927 245 134  
ricardocarvalho@altte.pt

**PORTUGAL**

Mário Sequeira Barroso, Unipessoal,  
LDA.  
Ponte da Petisqueira - Lordelo  
5000-503 Vila Real  
Phone: +351 259 342 487  
duarteribeiro@solucoesoutdoor.  
com

**ROMANIA**

GD ESCAPADE  
Calea Mosilor Nr. 27, Sector 3  
Bucuresti  
Phone / Fax: +401 314 40 71  
himalaya@rdslink.ro  
www.himalaya.ro

**RUSSIA**

THIRD POLE  
Remeslennaya ul. 7 korp. 1  
PO Box 320  
197110 St. Petersburg  
Phone: +7 812 449 28 88  
Fax: +7 812 449 28 89  
vasya@redfox.ru  
www.rockempire.ru

**SERBIA**

Azimut plus d.o.o.  
Visegradska 6, LOKAL 9  
11000 Beograd  
outdoor.oprema@gmail.com

**SERBIA**

GORA d.o.o.  
Bulevar dr. Zorana  
Djindjica 123 V  
11070 Belgrade  
Tel / fax +381 11 3121513  
export@gora-i.com  
www.gora-i.com

**SINGAPORE**

GEAR FITTERS PTE LTD  
48 Toh Guan Road East no. 05-153  
Enterprise Hub. Singapore 608586  
Phone: 65159363  
Fax: 65159285  
www.exponentasia.com.sg

**SLOVENIA**

KIBUBA D.O.O.  
Selo 11c  
1217 Vodice  
Phone: +38640166484  
info@kibuba.com  
www.kibuba.com  
www.kibuba.eu

**SPAIN / ANDORRA**

VERTICALPINE  
Av. De Sant Bartomeu 36  
08503 – Gurb (Barcelona)  
Tel. 93 742 10 01  
info@verticalpine.com  
www.verticalpine.com

**SWEDEN**

GEAR FOR FEAR I MALMBERGET  
AB  
Dundretvägen 1  
98239 Gällivare  
+46 (0)70-312 08 40  
info@northstar.se

**SWITZERLAND**

BÄCHLI BERGSPORT AG  
Verwaltung  
Gewerbstrasse 12  
CH-8606 Nänikon  
Phone: +41 (0)44 826 76 76  
Fax: +41 (0)44 826 76 86  
baechli@baechli-bergsport.ch  
www.baechli-bergsport.ch

**Do you want to become our main distributor?  
We are looking for distributors for these countries:**

**Great Britain  
South Africa  
South Korea**

**TURKEY**

A1 AKDMUIVILS  
Meriç Mah. 5746/4 Sok. No 14/1  
Bornova / Izmir  
Tel: +90 312 432 21 20  
email: mrtsar2019@gmail.com

**TAIWAN**

Concordia Outdoor Sports Inc.  
1 F, No.2, Sec 1, Zhongshan Rd,  
Dacun Township  
Changhua County 51545  
tel: 886-4-8322605  
email: concordia.tw@gmail.com

**UKRAINE**

"The Climb" (Voskhozhdenie)  
49000, Ukraine, Dnipro city  
Sichovih Striltsyv 8a str.  
Phone: +38 056 785 62 29  
sale@theclimb.com.ua  
skype: dnepr3.climb  
www. alp.com.ua  
www. theclimb.com.ua



# SPORT CATALOG 2022

ROCK EMPIRE s. r. o.

Ústecká 1918 / 95, 405 02 Děčín, Czech Republic  
Phone: +420 412 704 168 • E-mail: info@rockempire.com

PRODUCTION ROCK EMPIRE TEAM

TECHNICAL CONSULTANTS:  
Jan Zíma, Zbyněk Homola, Amy Veselá

EDITOR:  
Eva Bellová

PHOTO:  
Rock Empire

DESIGN AND TYPE SETTING:  
Eva Bellová



SYSTEM OF THE MANAGEMENT HAS BEEN ASSESSED AND FOUND TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE STANDARDS ISO 9001:2008

CLIMBING, SPELEOLOGY, CANYONING, WORKING AT HEIGHTS AND SIMILAR ACTIVITIES ARE DANGEROUS AND CAN CAUSE INJURY OR DEATH. EVERY USER IS RESPONSIBLE FOR THE RIGHT AND SAFE USE OF ALL PRODUCTS DESIGNED FOR THIS KIND OF ACTIVITY. WE DO NOT TAKE ANY RESPONSIBILITY IN CASE OF CHANGES TO TECHNICAL PARAMETERS OF OUR PRODUCTS. MISPRINTS AND CHANGES RESERVED.



EUROPEAN UNION  
European Regional Development Fund  
Operational Programme Enterprise  
and Innovations for Competitiveness